

AG 6206 Natural

Hexyl glucoside

AG™ 6206 Natural surfactant is a 100% biobased and segregated low foaming, high activity alkyl glucoside, non-ionic surfactant, based on a natural vegetablederived short chain fatty alcohol and glucose

Specifications

Color	3 Gardner
Hexanol	<1 %
рН	6-8 (2% in water)
Water content	23-27 %

Characteristics

Active content	75 %
Appearance	Liquid
Clear point	-4 ℃
Density	1170 kg/m³ at 20°C
Foam Height according to Ross-Miles, 50°C, 0.05%	immediately: 0 mm after 5 min: 0 mm
Pour point	-9 ℃
Surface Tension according to Du Noüy, 25°C, 0.1% DIN 53914	30 mN/m
Solubility: Ethanol	Soluble
Solubility: Isopropanol	Insoluble
Solubility: Propylene glycol	Soluble
Solubility: Water	Dispersible

Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

 AG^TM is a registered trademark in many countries. For more information, please visit our website at www.nouryon.com.

