

# GT 2624

Alkoxylated alcohol mainly used as wetting agent in several applications

## Specifications

Cloud point	55-59 (5g product in 25ml 25% butyldiglycol) °C
Color	≤ 200 Hazen
pH	5-8 (1% in water)
Water content	≤ 0.5 %

## Characteristics

Active content	100 %
Appearance	Clear/slight opalescent liquid at 20°C
Density	980 kg/m <sup>3</sup> at 20°C
Flash point	≥100°C
Foam Height according to Ross-Miles, 50°C, 0.05%	immediately: 20 mm; after 5 min: 0 mm
HLB	8.4 (Griffin)
Pour point	≤ -10 °C
Surface Tension according to Du Noüy	30 mN/m at 25°C, 0.1%
Viscosity	40 mPa.s at 20°C
Wetting power according to Draves, 25°C, 0.1%	8 sec
Wetting power by immersion test, 25°C, 0.1% (ISO 8022: 1990 modified)	25 sec
Solubility: Ethanol	Soluble
Solubility: Isopropyl alcohol	Soluble
Solubility: Low aromatic solvent	Dispersible
Solubility: Propylene glycol	Soluble
Solubility: Water	Dispersible

### Notes:

Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

For more information, please visit our website at [www.nouryon.com](http://www.nouryon.com).

The logo for Nouryon, featuring a stylized blue 'N' followed by the word 'ouryon' in a lowercase, sans-serif font.