

# Lankropol K-8300

## Disodium Oleamido MIPA-Sulfosuccinate

Disodium Oleamido MIPA-Sulfosuccinate

### Specifications

Appearance	Clear amber liquid at 25°C
Color	0-9.0 Gardner
pH	6.5-7.5 (10% in water)
Sodium Sulfite	0-0.5
Solid content	36.0-39.0 %
Specific Gravity	1.075-1.11°C

### Characteristics

Active content	38 %
Calcium Tolerance	614 ppm CaCO <sub>3</sub> @ 0.05% solids in water
Color	9 Gardner
Draves wetting test	90 seconds @ 0.5% solids solution
Foam Height according to Ross-Miles	150 mm initial, 135 mm at 5 minutes, 20°C
Moisture	62.5 %
pH	6.5-7.5 (5 % aqueous solution)
Specific Gravity	1.10 @ 25°C
Surface Tension according to Du Noüy	32.6 dynes/cm @ 0.05% solids solution at 25°C
Solubility: Alcohol	Insoluble
Solubility: Stoddard Solvent	Insoluble
Solubility: Water	Soluble

#### Notes:

Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

### Additional information

Lankropol sulfosuccinates are well-known as mild anionics and are used where mildness and foaming are key considerations in formulating liquid handsoaps and light duty liquids.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

Lankropol® is a registered trademark in many countries. For more information, please visit our website at [www.nouryon.com](http://www.nouryon.com).

The logo for Nouryon, featuring a stylized blue 'N' followed by the word 'ouryon' in a blue sans-serif font.