



## Liquid suspensions

Explore the full potential of your liquid suspension

Finding ways to enhance your crop protection formulations is what we do. Every day. We are a global company with a broad range of environmentally safe, biodegradable and cost effective solutions. This guide shows how our products can be used to explore the full potential of your liquid suspension.

### Key products for successful liquid suspensions

- **Morwet® D-400, Morwet D-425**  
Anionic naphthalene sulphonate condensates used as primary dispersant. Benchmark to achieve short milling time and low viscosity premix. Brings electrostatic stabilization and makes the formulation stable towards temperature changes.
- **Morwet EFW**  
An anionic blend for excellent wetting of most powders. The best choice for actives with crystallization problems.
- **Ethylan® NS-500LQ**  
Block copolymer that provides steric stabilisation. Combine with Morwet D-425 for best performance. A liquid polymer that is easy to handle.
- **Agrilan® 755**  
High performance hydrophobically modified polyacrylate polymer when extra stabilization is needed. Adsorbs irreversibly to solid surfaces and oil droplets. Full potential is reached when combined with Morwet D-425. Soluble in both water and oil based systems. In addition, this polymer inhibits crystal growth.
- **Agrilan 700, Agrilan 789**  
White polyacrylate copolymers. Can be used as primary dispersants or in combination with Morwet D-400/D-425. Agrilan 789 is the premium product for high loadings or extreme water hardness conditions.



### Agrochemical formulation guide for SC, SE and OD

Formulations in this guide comply with the following CIPAC methods:

- Appearance CIPAC MT 148,1
- Stability CIPAC MT 39.3, 46.3
- Particle size CIPAC MT 187
- Suspensibility CIPAC MT 160, 184

## Suspension concentrate (SC)

SC formulations are water based dispersions of fine particle active ingredients. The typical particle size is <5 µm. Due to their liquid nature SC formulations are easy and safe to handle.

Suspension concentrates require efficient formulation additives to ensure long term stability. Due to their inherent stability issues their compositions are more complex compared to standard EC or WP formulations.

### Preparation

- Prepare a base mill by adding active ingredient, dispersing agent (Morwet D-425/D-400, Agrilan 789, Agrilan 700), wetter if necessary (Morwet EFW) and defoamer in water
- Homogenize the premix with high shear mixer or homogenizer (Ultra Turrax) for few minutes
- Mill the slurry until desired particle size is achieved
- Formulate by adding stabilizer (Agrilan 755, Ethylan NS-500LQ) and mix properly with mill base
- Add other ingredients such as in-can adjuvant (Adsee AB 600, Adsee 611, Adsee 900), anti-freeze (propylene glycol, 5-8%), thickener (xanthan gum 0.1-0.3%) and biocide as necessary

Active ingredients	Conc	Base mill - step 1 (w/w)	Formulation - step 2	Additional additives
Aclonifen Metobromuron	250 g/l 250 g/l	2.5% Morwet D-425	1.0% Ethylan NS-500LQ	3.0% MEG + 0.2% Biocide + 0.1% Defoamer + 0.2% Xanthan gum + water to 100%
Buprofezin	250 g/l	2.5% Morwet D-400		8.0% PG + 1% Biocide + 0.1% Defoamer + 0.25% Xanthan gum + water to 100%
Epoxiconazole	125 g/l	2.5% Morwet D-425	1.0% Ethylan NS-500LQ	0.15% Xanthan gum + 5.0% PG + 0.2% Antifoam + water to 100%
Ethofumesate Phenmedipham	200 g/l 200 g/l	2.5% Morwet D-425	1.0% Ethylan NS-500LQ	0.15% Xanthan gum + 5.0% PG + 0.2% Antifoam + water to 100%
Tebuconazole	430 g/l	2.5% Morwet D-425 1.0% Morwet EFW	0.5% Agrilan 755	0.15% Xanthan gum + 5.0% PG + 0.2% Antifoam + water to 100%

### White formulations

Active ingredients	Conc	Base mill - step 1 (w/w)	Formulation - step 2	Additives
Cyromazine	30% w/w	2.5% Agrilan 700	2.0% Agrilan 755	3.0% Glycerin + 0.15% Biocide + 0.1% Defoamer + 0.5% Bentonite + 0.15% Xanthan gum + water to 100%
Thiophanate-Methyl Azoxystrobin Metalaxyl	6% w/w 3% w/w 3% w/w	2.0% Agrilan 789	1.0% Ethylan NS-500LQ	3.0% Glycerin + 1.0% Citric acid + 0.1% Biocide + 0.1% Defoamer + 1.0% Bentonite + 0.2% Xanthan gum + water to 100%

### Formulations containing adjuvants

Active ingredients	Conc	Base mill - step 1 (w/w)	Formulation - step 2	Additives
Bispyribac-Na	10% w/w	3.0% Agrilan 700	1.0% Agrilan 755 10.0% Adsee 611	5.0% PG + 0.1% Biocide + 0.1% Defoamer + 0.25% Xanthan gum + water to 100%
Chlorfenapyr	10% w/w	4.0% Agrilan 788	1.0% Adsee AB 615	3.0% Glycerin + 0.25% Biocide + 0.1% Defoamer + 1.5% Bentonite + 0.25% Xanthan gum + water to 100%
Chlorfenapyr	5% w/w	4.0% Agrilan 788	1.0% Adsee AB 615	3.0% Glycerin + 1.5% Magnesium aluminometa-silicate + 0.2% Biocide + 0.1% Defoamer + 0.25% Xanthan gum + water to 100%
Indoxacarb	15% w/w	4.0% Agrilan 700	10.0% Adsee AB 615	3.0% Glycerin + 0.1% Biocide + 0.1% Defoamer + 0.5% Bentonite + 0.2% Xanthan gum + water to 100%

MEG = Mono Ethylene Glycol, PG = Propylene Glycol

## Oil dispersion (OD)

An OD is a non-aqueous suspension concentrate. It can be used as replacement for EC, SC and WDG as it combines good biological efficacy with cost-effective and environmental friendly properties. A key benefit is that high amounts of adjuvants can be built into the formulation. OD formulation presents several challenges in production. To obtain a good and stable formulation over the time, optimal formulation additives are required in addition to optimum process.

### Preparation

- Make a base mill by adding the actives, the emulsifier/dispersant and the Bentone\* to the solvent
- Mill the content until the desired particle size is achieved
- Add the stabilizer (Agrilan 755) and stir gently

Active ingredients	Conc	Solvent	Emulsifier/Dispersant	Stabilizer	Additive
Imidacloprid	20% w/w	Rape seed methyl ester, up to 100%	5.0% Witconate P-1460EH 5.0% Berol 266		2% Bentone SD-3
Pyridate Sulcotrione	40% w/w 22.5% w/w	Rape seed methyl ester, up to 100%	5.0% Witconate P-1460EH 6.0% Berol 266		2% Bentone SD-3
Terbutylazine	30% w/w	Coco methyl ester, up to 100%	10.0% Witconate P-1460EH 10.0% Berol 266		2-4% Bentone SD-3
Nicosulfuron	4% w/w	Soybean oil, up to 100%	5.0% Ethylan NS-500LQ 2.0% Ethomeen T/12 8.0% Berol 192	2.0% Agrilan 755	1-2% Bentone SD-3
Azoxystrobin	12% w/w	Soybean oil, up to 100%	5.0% Witconate P-1460EH 5.0% Berol 266	2.0% Agrilan 755	0.5-1% Bentone SD-3

Bentone is a trade name by Elementis Specialties



## Suspo emulsion (SE)

SE formulations are water based dispersions of fine particles and oil droplets and can be used to combine water insoluble actives with oily/oil soluble actives as well as adjuvants. The development of suspo-emulsions needs careful consideration at the formulation stage as the dispersing and emulsifying agents can migrate between particles/oil droplets and create instability such as flocculation.

SE offers the benefit of a broad spectrum of pest control due to mixed actives and in-can adjuvants.

### Preparation

- Prepare SC part: Make a premix slurry by adding active ingredient, dispersing agent (Morwet D-425) and defoamer in water. Homogenize and wet mill until particle size is below 5 µm (D50).
- Prepare the oil phase by adding emulsifiers into the mineral oil
- Mix both parts under high shear to form a suspo-emulsion. Add the EC under low shear to the SC. High shear mix to form a small droplet emulsion.

Active ingredients	Conc	Dispersant	Emulsifier	Additive	Solvent
Iprodione	250 g/l	25 g/l Morwet D-425	25 g/l Witconate P-1460EH 25 g/l Berol 266 10 g/l Lankropol KPH70	0.2% Thickener, defoamer	200 g/l Mineral oil, Balance water

Contact us directly for detailed product information and sample request  
website | [nouryon.com/markets/agriculture](http://nouryon.com/markets/agriculture)  
email | [agro@nouryon.com](mailto:agro@nouryon.com)

# Nouryon

Nouryon is a global, specialty chemicals leader. Markets and consumers worldwide rely on our essential solutions to manufacture everyday products, such as personal care, cleaning goods, paints and coatings, agriculture and food, pharmaceuticals, and building products. Furthermore, the dedication of more than 7,900 employees with a shared commitment to our customers, business growth, safety, sustainability and innovation has resulted in a consistently strong financial performance. We operate in over 80 countries around the world with a portfolio of industry-leading brands. Visit our website and follow us @Nouryon and on LinkedIn.

All information concerning our products and/or all suggestions for handling and use contained herein (including formulation and toxicity information) are offered in good faith and are believed to be reliable. However, Nouryon makes no warranty express or implied (i) as to the accuracy or sufficiency of such information and/or suggestions, (ii) as to any product's merchantability or fitness for a particular use or (iii) that any suggested use (including use in any formulation) will not infringe any patent. Nothing contained herein shall be construed as granting or extending any license under any patent. The user must determine for itself by preliminary tests or otherwise the suitability of any product and of any information contained herein (including but not limited to formulation and toxicity information) for the user's purpose. The safety of any formulations described herein has not been established. The suitability and safety of a formulation should be confirmed in all respects by the user prior to use. The information contained herein supersedes all previously issued bulletins on the subject matter covered.

Products mentioned are trademarks of Nouryon and registered in many countries.

[nouryon.com](http://nouryon.com)