

Aquatreat AR 540 DRY

Sulfonate copolymer

Powdered form of Aquatreat® AR 540, copolymer of acrylic acid & sulfonated monomers, excellent scale & deposit control

Specifications

Appearance	Off-white powder at 25°C
pH	7-9 (1% in water)
Solid content	≥ 95 %

Notes:

Typical Data are based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

Applications

Phosphate, Zinc, Iron control and cleaning.

Safety and handling

Aquatreat® AR 540 D has ANSI/NSF standard 60 CERTIFICATION for use as a drinking water chemical additive in Reverse Osmosis Antiscalent and Distillation Antiscalent, Maximum allowable dosage is 10 mg / L.

Additional information

The thermal stability and unique dispersant capabilities of this polymer also prove useful in boiler applications. The performance characteristics of Aquatreat® AR 540 D have been demonstrated in Laboratory Bench Tests, Dynamic Laboratory Scale Test Equipment, and a Field Trial in an industrial cooling system. In all cases, the performance of this unique, new polymer was proven to be equal to or better than the industry standard copolymers. For calcium phosphate stabilization a dose rate of 1 ppm of polymer per 1 ppm of phosphate as PO₄ is recommended.

All information concerning this product and/or suggestions for handling and use contained herein are offered in good faith and are believed to be reliable. Nouryon, however, makes no warranty as to accuracy and/or sufficiency of such information and/or suggestions, as to the product's merchantability or fitness for any particular purpose, or that any suggested use will not infringe any patent. Nouryon does not accept any liability whatsoever arising out of the use of or reliance on this information, or out of the use or the performance of the product. Nothing contained herein shall be construed as granting or extending any license under any patent. Customer must determine for himself, by preliminary tests or otherwise, the suitability of this product for his purposes. The information contained herein supersedes all previously issued information on the subject matter covered. The customer may forward, distribute, and/or photocopy this document only if unaltered and complete, including all of its headers and footers, and should refrain from any unauthorized use. Don't copy this document to a website.

Aquatreat® is a registered trademark in many countries. For more information, please visit our website at www.nouryon.com.

The logo for Nouryon, featuring a stylized blue 'N' followed by the word 'ouryon' in a lowercase, sans-serif font.