

## Redicote® AP-1

Bitumen additive to improve emulsion quality, improve adhesion, slow down age-hardening, reduce polymer separation. Emulsifier for clay stabilized emulsions of asphalt or coal tar suitable for sealcoat manufacture.

### Benefits and features

- Improved emulsion quality**  
 Redicote AP-1 aids the emulsification of difficult binders including high softening point, oxidized and polymer modified bitumens. Redicote AP-1 is suitable for most grades of anionic and cationic emulsion.
- Polymer compatibility**  
 Polymer modified bitumens containing Redicote AP-1 show less separation during storage
- Emulsifier for clay stabilized emulsions and sealcoats**  
 Chromic acid is eliminated from clay stabilized emulsion recipes. Sealcoats with Redicote AP-1 show improved water resistance.
- Slower age-hardening**  
 Bitumen treated with Redicote AP-1 shows reduced hardening in accelerated ageing tests

### Storage and handling

Redicote AP-1 may be stored in carbon steel tanks. Bulk stores should be maintained at 15-35°C (59-95°F). Redicote AP-1 contains amines and may cause severe irritation or burns to skin and eyes. Protective goggles and gloves must be worn when handling this product. For further information consult the Safety Data Sheet.

### Packaging information

Redicote AP-1 is available in bulk shipments or in tight head steel drums of 420 lbs (191 kg) net weight, or in one-way totes (IBCs) of 2000 lbs (907 kg) net weight.

### Dosage

Improved emulsion quality	0.3-0.5%	basis binder content
Clay stabilized emulsions	1.0-2.0%	basis binder content
Additive for hot mixes	0.3-1.0%	basis binder content

### Specification

Amine value, mg KOH/g	140-170	VE 5.021
-----------------------	---------	----------

### Physical properties

Appearance at 25°C (77°F)	liquid
Flash point, °C	>300 (>570°F)
Pour point, °C	<0 (<32°F)

	10	20	30	40	°C
	50	68	86	104	°F
Density, g/cc	0.96	0.94	0.93	0.93	
Density, lbs/U.S. gal	8.01	7.85	7.81	7.74	
Viscosity, mPa.s (cP)	3500	1500	700	400	

Physical properties are typical data based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

Contact us directly for detailed product information and sample request  
website | [nouryon.com/markets/asphalt](https://nouryon.com/markets/asphalt)  
email | [asphalt@nouryon.com](mailto:asphalt@nouryon.com)

# Nouryon

Nouryon is a global, specialty chemicals leader. Markets and consumers worldwide rely on our essential solutions to manufacture everyday products, such as personal care, cleaning goods, paints and coatings, agriculture and food, pharmaceuticals, and building products. Furthermore, the dedication of more than 7,900 employees with a shared commitment to our customers, business growth, safety, sustainability and innovation has resulted in a consistently strong financial performance. We operate in over 80 countries around the world with a portfolio of industry-leading brands. Visit our website and follow us @Nouryon and on LinkedIn.

All information concerning our products and/or all suggestions for handling and use contained herein (including formulation and toxicity information) are offered in good faith and are believed to be reliable. However, Nouryon makes no warranty express or implied (i) as to the accuracy or sufficiency of such information and/or suggestions, (ii) as to any product's merchantability or fitness for a particular use or (iii) that any suggested use (including use in any formulation) will not infringe any patent. Nothing contained herein shall be construed as granting or extending any license under any patent. The user must determine for itself by preliminary tests or otherwise the suitability of any product and of any information contained herein (including but not limited to formulation and toxicity information) for the user's purpose. The safety of any formulations described herein has not been established. The suitability and safety of a formulation should be confirmed in all respects by the user prior to use. The information contained herein supersedes all previously issued bulletins on the subject matter covered.

Products mentioned are trademarks of Nouryon and registered in many countries.

[nouryon.com](https://nouryon.com)