



## Redicote® E-605

Emulsifier for cationic medium-setting emulsions and tack coats. Emulsifier for oils and soft bitumen used in dust control emulsions.

### Benefits and features

- High flash point**  
 The product does not contain flammable solvents
- Small particle size**  
 Emulsions produced using Redicote E-605 have exceptionally small particle size suitable for prime coats and dust control
- No need for acid**  
 No acid is required and the neutral pH of the emulsion is preferred in applications like tack coats for concrete, when emulsifying bio-based binders and when water soluble thickeners are incorporated
- Co-emulsifier**  
 Redicote E-605 is a versatile co-emulsifier used to improve the quality and mixing behavior of cationic medium-setting emulsions

### Storage and handling

Redicote E-605 contains water and 316 and 317 L stainless steels or glass or polymer lined tanks are recommended. Redicote E-605 is compatible with polyethylene and polypropylene. Bulk stores should be maintained at 15- 25°C (59-77°F). Redicote E-605 contains quaternary amines and may cause severe irritation or burns to skin and eyes. Protective goggles and gloves must be worn when handling this product. For further information consult the Safety Data Sheet.

### Packaging information

Redicote E-605 is available in bulk shipment, or in tight head lined polyethylene drums of 400 lbs (181 kg) net weight.

### Dosage

Tack, prime and dust oil emulsions	1.5-2.5%	pH 2-7 hydrochloric acid
------------------------------------	----------	--------------------------

### Specification

Activity, %	26-29	
pH (10% in water)	6-9	

### Physical properties

Appearance at 25°C (77°F)	liquid			
Cloud point, °C	18 (64°F)			
Flash point, °C	>100 (>212°F)			
Pour point, °C	<10 (<50°F)			

	10	20	30	40	°C
	50	68	86	104	°F
Density, g/cc	0.97	0.97	0.96	0.96	
Density, lbs/U.S. gal	8.12	8.08	8.05	8.02	
Viscosity, mPa.s (cP)	23	20	18	16	

Physical properties are typical data based on our own measurements or derived from the literature. They do not constitute part of the delivery specification.

Contact us directly for detailed product information and sample request  
website | [nouryon.com/markets/asphalt](https://nouryon.com/markets/asphalt)  
email | [asphalt@nouryon.com](mailto:asphalt@nouryon.com)

# Nouryon

Nouryon is a global, specialty chemicals leader. Markets and consumers worldwide rely on our essential solutions to manufacture everyday products, such as personal care, cleaning goods, paints and coatings, agriculture and food, pharmaceuticals, and building products. Furthermore, the dedication of more than 7,900 employees with a shared commitment to our customers, business growth, safety, sustainability and innovation has resulted in a consistently strong financial performance. We operate in over 80 countries around the world with a portfolio of industry-leading brands. Visit our website and follow us @Nouryon and on LinkedIn.

All information concerning our products and/or all suggestions for handling and use contained herein (including formulation and toxicity information) are offered in good faith and are believed to be reliable. However, Nouryon makes no warranty express or implied (i) as to the accuracy or sufficiency of such information and/or suggestions, (ii) as to any product's merchantability or fitness for a particular use or (iii) that any suggested use (including use in any formulation) will not infringe any patent. Nothing contained herein shall be construed as granting or extending any license under any patent. The user must determine for itself by preliminary tests or otherwise the suitability of any product and of any information contained herein (including but not limited to formulation and toxicity information) for the user's purpose. The safety of any formulations described herein has not been established. The suitability and safety of a formulation should be confirmed in all respects by the user prior to use. The information contained herein supersedes all previously issued bulletins on the subject matter covered.

Products mentioned are trademarks of Nouryon and registered in many countries.

[nouryon.com](https://nouryon.com)