

Date: 12.01.2021

To,
Additional Principal Chief Conservator of Forests
Ministry of Environment, Forest & Climate Change
Regional Office, (West Central Zone)
Ground floor, East wing,
New Secretary Building
Civil lines, Nagpur – 440001

Subject : Six-Monthly Environmental Compliance Status Report of Stipulated Conditions of

Environmental Clearance.

Reference: Environmental Clearance No. SEIAA-EC-0000000263 dated 26th April, 2018

Respected Sir,

With reference to the above Subject, we are submitting Environmental Compliance Status Report of M/s Nouryon Chemicals India Pvt. Ltd. (Formerly M/s Akzo Nobel India Limited) located at Plot No. E-18, 19, 20 & C-61 (Part), MIDC Mahad, Taluka Mahad, District Raigad, Maharashtra; for the period from April 2020 to September 2020 along with supporting documents (Refer Enclosed Annexures).

We assure you for submission of six-monthly environmental compliance status reports on regular basis.

Thanking you,

Yours faithfully M/s Nouryon Chemicals India Pvt. Ltd. (Formerly M/s Akzo Nobel India Limited)

Authorized Signatory

C. C. to: MoEF & CC, Delhi,

CPCB, Zonal office, Vadodara,

Environment Dept., Mantralaya, Mumbai.

MPCB, Mumbai (Sion).

Six-Monthly Environmental Compliance Status Report of Stipulated Conditions of Environmental Clearance (April 2020 to September 2020)

Submitted by

M/s Nouryon Chemicals India Pvt. Ltd. (Formerly M/s Akzo Nobel India Limited) Plot No. E - 18, 19, 20 & C- 61 (Part) MIDC Mahad, Mahad, Maharashtra

CONTENT

Sr. No.	TOPIC	Page No.
1.	Introduction & Project Description	3 - 5
2.	Compliance on Stipulated Conditions of Environmental Clearance	6 - 11

CHAPTER 1: INTRODUCTION & PROJECT DESCRIPTION

1.1 Introduction

The project of M/s Nouryon Chemicals India Pvt. Ltd. (Formerly M/s Akzo Nobel India Limited) is located at plot No. E-18, 19, 20 & C-61 (Part), MIDC Mahad, Taluka Mahad, District Raigad, Maharashtra; which is in notified industrial zone of Government of Maharashtra. This Project has awarded with environmental clearance by State Level Environment Impact Assessment Authority, vide letter No. SEIAA-EC-0000000263 dated 26.04.2018; copy enclosed as Annexure-1. The company was originally incorporated with name Akzo Nobel India Limited and name of company has changed to M/s Nouryon Chemicals India Pvt. Ltd. under the Companies act, 1956; incorporation certificate copies are enclosed as Annexure-2. Company has obtained with vide No. Format 1.0/CC/UAN No. 0000003495/2003000030 dated 12.03.2020; copy is enclosed as Annexure-3.

1.2 Project Description

Salient Features of the Project:

Location	Plot No. E-18, 19, 20 & C-61 (Part/Part), MIDC Mahad,		
	Taluka Mahad, District Raigad, Maharashtra.		
Co-ordinates of the location	Latitude - 18°6'43.11"N		
	Longitude - 73°29'27.24"E		
	The elevation from mean sea level is 20 m.		
Location accessibility	Railway Station : Veer Railway Station is 17 km away from project site.		
	Highway : National Highway No. 66 is 3.58 km		
	away from project site.		
Type & Scale of industry	Large Scale Manufacturing Industry		
Cost of the project	69.48 Cr.		
Area statement	Total Plot Area - 86478.0 sq.m		
	Total Built Up Area - 8748 sq.m		
	Green Belt Area - 29995 sq.m		
	Parking Area - 2271.8 sq.m		
Product details/Byproduct details	Sr. No. Product Name Quantity in MT/M		
	1. Organic Peroxides 284.96 (Pure)		

	2. 3.	Refilling/ blending of Metal Alkyls (Pure) Sodium Chloride (NaCl)	141.83		
Raw materials (including process chemicals, catalysts & additives)		List Enclosed as Annexure-4.			
Water supply	Source – Maharashtra Industrial Development Corporation.				
	Permission has obtained from MIDC for water supply; copy enclosed as Annexure-5 and MIDC water bill copy of April 2019 month is enclosed as Annexure-6.				
Water requirement	Total - 640 CMD Domestic- 10 CMD Process - 470 CMD Cooling Tower & Boiler feed – 60 CMD Gardening - 100 CMD				
Effluent generation	Domestic/Sewage effluent – 8.0 CMD Trade effluent – 496 CMD				
Power	Source : MSEDCL, Total demand – 990 KVA				
Gaseous emissions from different sources	- From Boiler stack height 30 m From D.G. Set (500 KVA) stack height 10 m - From Diesel engine hydrant stack height 30 m - From Diesel engine sprinkler stack height 6.5 m - From scrubber stack height 16 m - From Process stack(HCI) height 10 m.				
Fuel	HSD- 174 Lit/Hr LDO – 834 Kg/Day				
Status of approvals from statutory bodies	nvironmental Clearance. onsent to Establish.				
	3. Consent to Operate.4. Certificate of Incorporation.				
	5. Factory license				

1.3 Present Status of the Project

The project is at operational phase.

1.4 Purpose of the Report

This six-monthly environmental compliance status report has to be submitted as per the conditions stipulated in the Environmental Clearance. The aim of six monthly compliance is to verify:

- > That the project does not have any adverse environmental impact in the project area and it's surrounding.
- ➤ Compliance achieved with the conditions stipulated in the Environmental Clearance.
- ➤ That the environmental mitigation measures as suggested in the approved Form-1, Consolidated form & Environmental Management Plan (EMP) is implemented by Project Management.
- ➤ The project proponent is implementing the environmental safeguards in true spirit.

CHAPTER 2 : COMPLIANCE STATUS ON STIPULATED CONDITIONS OF ENVIRONMENTAL CLEARANCE CONDITIONS

2.1 Conditions along with compliance status is discussed below in detail

Sr. No.	Conditions of Environmental Clearance	Status of Compliance	
SPECIFIC	C CONDITION :		
(i)	PP to take utmost care to mitigate the findings of the life cycle analysis to reduce global warming potential and increase the sustainability index.	Project proponent is taking care of environment. Life cycle analysis study has completed during EIA and proponent is taking care of mitigation findings of LCA.	
GENERA	AL CONDITIONS:		
(i)	PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.	Industry has provided ETP consisting of primary and secondary treatment and as per consent to operate vide No. Format 1.0/CC/UAN No. 0000003495/2003000030 dated 12.03.2020; schedule I (C); industry has permission to discharge treated effluent to MMA-CETP for further treatment and disposal. CETP NOC copy is enclosed as Annexure-7.	
(ii)	73 TPH boiler should have stack height of 68 m and flue gases shall be passed through an ESP of 99.9% efficiency before being led into the 68 m stack.	Provided boiler capacity is 1.1 TPH & stack height is 30 meter; which is adequate stack height as per CPCB guidelines.	
(iii)	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.	Project proponent has consented to condition. No additional land will be used for any activity without obtaining prior environmental clearance.	
(iv)	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.	Complied. Company is being taken utmost precaution for the health and safety of the people working in the unit as well as for protecting the environment by implementing EHS policy and Standard Operating Process (SOP) for handling of Chemicals, Solid hazardous waste and solvents. Company conducts the periodic health checkup, mock drills, internal and external safety training for workers to ensure safe work environment within company premises.	
(v)	Proper Housekeeping programmers shall be implemented.	Complied. To ensure clean & obstacle free shop floor, housekeeping is being maintained at plant. Nine numbers of people has deputed for	

		housekeeping.		
(vi)	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.	Project Proponent has consented to condition.		
(vii)	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).	Complied. A stack of 10 m height is provided to control and dispersion of pollutants from DG set (capacity-500 KVA).		
(viii)	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.	Complied. Project proponent is working on implementation of rainwater harvesting system.		
(ix)	Arrangement shall be made that effluent and storm water does not get mixed.	Complied. Effluent is being treated in ETP and treated effluent is being discharged to CETP for further treatment and disposal and separate storm water drainage line is provided to collect storm water therefore, there is no possibility to mix effluent and storm water.		
(x)	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.	Complied. Ground water monitoring has done through MoEF & NABL authorized laboratory; obtained results are within limit of standards. Report copies are enclosed as Annexure-8.		
(xi)	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.	Complied. Noise levels are monitored through MoEF & NABL laboratory and results are well within limits as per standards, The report copy is enclosed as Annexure-9. PPE's such as earplugs earmuffs are provided to workers.		
(xii)	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.	Complied. Noise levels are monitored through MoEF & NABL laboratory and results are well within limits as per standards, The report copy enclosed as Annexure-9. Acoustic enclosures, hoods and silencers are provided to all noise generating equipment's as per requirements. i.e. D.G. Set.		
(xiii)	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB	Complied. Company has well designed CSR policy; company has planted more than 500 trees near Mahad area. Project proponent has planted 491		

	guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.	number of trees near in industry premises; tree list is enclosed as Annexure-10.	
(xiv)	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.	Complied. Fire extinguisher system is provided at plant site and all raw materials are in liquid form; there is provision of dyke wall at storage area.	
(xv)	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.	Complied. Occupational health surveillance of the employees/workers is being done and records are maintained as per Factories Act, copies are enclosed as Annexure-11.	
(xvi)	The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.	Complied. Fire hydrant system has developed and implemented at plant site. Fire NOC has obtained from MIDC; copy enclosed as Annexure-12.	
(xvii)	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment /storage/disposal of hazardous wastes.	Complied. Authorization under Rule 5 of the Hazardous & Other Wastes (M & TM) Rules 2016 is obtained from Maharashtra Pollution Control Board, vide letter No.Format 1.0/CC/UAN No. 0000003495/2003000030 dated 12.03.2020; and hazardous waste is being stored in separate designated area and disposal through CHWTSDF, records are being maintained in the form of Manifest (Form-10); copies are enclosed as Annexure-13. Annual return of hazardous waste (Form-4) is being submitted on MPCB portal copy is enclosed as Annexure-14.	
(xviii)	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes /improvements required, if any, in the on-site management plan shall be ensured.	It is being complied. Periodic mock drills are being carried out to identify required changes in on site emergency plan. The same is being updated as per requirement. Last mock drill is done for emergency preparedness dated 28.05.2020; mock drill report copy is enclosed as Annexure-15.	
(xix)	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.	Complied. Separate environment management cell h provided for smooth working of environment safeguards. Copy is enclosed as Annexure-16.	
(xx)	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures	Complied. Separate funds are allocated for environmental protection measures /EMP, item-wise break-up is below. Sr. Cost of environmental Capital Cost & recurring cost	

	shall not be diverted for other			(Rs.) in lacks
	purposes and year-wise expenditure	1.	Air Pollution Control	0.5
	should reported to the MPCB & this department.	2.	Water Pollution Control	24.5
		3.	Noise Pollution Control	0.3
		4.	Environment monitoring and Management	1.2
		5.	Occupational health and safety	5.5
		6.	Green Belt	7.5
		7.	Solid waste management	2.57
		8.	Rain water harvesting	0
			Total Cost	42.07
(xxi)	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in	Comp		d to condition
(xxii)	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.	Project proponent has consented to condition. We ensure that submission of six monthly compliance status reports of stipulated conditions of environmental clearance to respective authorities on regular basis		
(xxiii)	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.	EC copy is submitted to local MPCB office.		
(xxiv)	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It	Project proponent has consented to condition. We ensure that submission of six monthly compliance status reports of stipulated conditions of environmental clearance with results of monitored data to respective authorities on		

	shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	regular basis. Monitoring of ambient air, stack, effluent and noise is being done through MoEF & NABL authorized laboratory and monitored data of criteria pollutants (SPM, RSPM, and SO2 & NOx) is displayed near company main gate and it is being updated regularly. Monitoring report copies are enclosed as Annexure-17.
(xxv)	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.	Project proponent has consented to condition. We ensure that submission of six monthly compliance status reports of stipulated conditions of environmental clearance including results of monitored data of stack, ambient air, effluent & noise to respective authorities on regular basis
(xxvi)	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Complied. Environmental statement report for financial year ending with March, 2020 is submitted; copy is enclosed as Annexure-18.
1.	The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.	Project proponent has consented to condition.
2.	In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.	Project proponent has consented to condition.

3.	The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.	Project proponent has consented to condition.
4.	Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF & CC Notification dated 29th April, 2015.	Project proponent has consented to condition. Company has obtained Consent to operate from MPCB and industry is in operation phase.
5.	In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.	Project proponent has consented to condition.
6.	The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.	Project proponent has consented to condition.



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department, Room No. 217, 2nd floor, Mantralaya, Annexe, Mumbai- 400 032. Date:April 26, 2018

То

Mr. Shrikant K. Kulkarni.

at Plot E-18, 19, 20 & C-61(Part), MIDC Mahad, Mahad

Subject: Environment Clearance for Akzo Nobel India Limited

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 143rd meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 115th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category schedule 5(f) category 'B1' as per EIA Notification 2006.

Brief Information of the project submitted by you is as below:

1.Name of Project	Akzo Nobel India Limited				
2.Type of institution	Private				
3.Name of Project Proponent	Mr. Shrikant K. Kulkarni.				
4.Name of Consultant	Sadekar Enviro Engineers Pvt. Ltd. QCI NABET Accredited Consultancy :Certificate no. NABET/EIA/1518/ RA 020				
5.Type of project	Not applicable. Brown field industrial project				
6.New project/expansion in existing project/modernization/diversification expansion in existing project expansion in existing project					
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	no The Control of the				
8.Location of the project	Plot E-18, 19, 20 & C-61(Part), MIDC Mahad, Mahad				
9.Taluka	Mahad				
10.Village	Khaire				
11.Area of the project	group gram panchyat Savane				
	not aplicable. industrial project				
12.IOD/IOA/Concession/Plan Approval Number	IOD/IOA/Concession/Plan Approval Number: Not aplicable. industrial project				
Tappioral realization	Approved Built-up Area: 8345.7				
13.Note on the initiated work (If applicable)	no work is initiated				
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	not applicable. Plan will be submitted to MIDC, Mahad.				
15.Total Plot Area (sq. m.)	86478 sq. m.				
16.Deductions	Not applicable				
17.Net Plot area	Not applicable				
10 () D ID III A (TOLO	FSI area (sq. m.): Not applicable				
18 (a).Proposed Built-up Area (FSI & Non-FSI)	Non FSI area (sq. m.): Not applicable				
	Total BUA area (sq. m.): Not applicable				
10.4)	Approved FSI area (sq. m.):				
18 (b).Approved Built up area as per DCR	Approved Non FSI area (sq. m.):				
	Date of Approval:				
	Date of Approval:				
19.Total ground coverage (m2)	Not applicable				

Shri Satish.M.Gavai (Member Secretary SEIAA)

20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	240400000



Government of Maharashtra

	22.Production Details							
Serial Number	Pro	oduct Existing		(MT/M) Proposed (MT/M)		Total (MT/M)		
1	Organic l (Pure)	Peroxides Total	99.78		185.18	284.96		
2	Refilling/ k Metal Alk	olending of tyls (Pure)	66.67 75.17 141.83			141.83		
3	Byproduc chloride s	t: Sodium 100 100			108			
		2	3.Tota	I Wate	r Requiremen	t		
		Source of v	vater	Not applica	Not applicable			
		Fresh wate	r (CMD):	Not applica	ble			
		Recycled w Flushing (rater - CMD):	Not applica	ble			
		Recycled w Gardening	ater - (CMD):	Not applica	ble			
		Swimming make up (pool Cum):	Not applica	ble	7		
Dry season	1:	Total Wate Requireme	r nt (CMD)	Not applica	ot applicable			
		Fire fightin Undergrou tank(CMD)	round water Not applicable					
		Fire fighting Overhead tank(CMD)	ad water Not applicable					
		Excess trea	ted water	Not applicable				
		Source of v	vater	Not applicable				
		Fresh wate	r (CMD):	Not applicable				
		Recycled w Flushing (rater - CMD):	Not applicable				
		Recycled w Gardening	ater - (CMD):	Not applicable				
		Swimming make up (pool Cum):	Not applicable				
Wet season:		Total Wate Requireme		Not applicable				
		Fire fighting Undergroutank(CMD)	nd water	Not applicable				
		Fire fighting Overhead value tank(CMD)	vater	Not applicable				
			ited water	er Not applicable				
Details of Swimming pool (If any) Not applicable			agiiti	a				

		24	.Detail	s of Total	l water co	nsume	d			
Particula rs	Cons	sumption (CM	D)	I	Loss (CMD)		Eff	fluent (CMD)		
Water Require ment	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total	
Domestic	5	5	10	1	1	2	4	4	8	
Industrial Process	235	235	470	5	5	10	230	230	460	
Cooling tower & thermopa ck	10	50	60	7	17	24	3	33	36	
Gardening	100	0	100	100	0	100	0	0	0	
Fresh water requireme nt	350	290	640	113	23	136	237	267	504	
		7	0	A SHOW W	190975		7			
		Level of the water table:	Ground	approx. 20 n	n below groun	d level	<u> </u>			
		Size and no (tank(s) and Quantity:	of RWH	1 RWH tank of 10,000 L will be provided						
		Location of t tank(s):	he RWH	appropriate location will be decided as per architectural drawing						
25.Rain V Harvestin	Water ng	Quantity of r pits:	echarge	no recharge pits are proposed						
(RWH)	5	Size of recha:	rge pits	NA B						
		Budgetary al (Capital cost	location) :	10,00,000						
		Budgetary al (O & M cost)	location ;	25,000	THE ST		X			
		Details of UC if any:	ST tanks	not aplicable						
				4())	(())}					
26 64		Natural wate drainage pat	er tern:		developed lar storm water.	nd . MIDC	drains are pr	rovided to each	n plot for	
26.Storm drainage	water	Quantity of s water:	10	0.03 cum/sec						
		Size of SWD:		0.6*1*1796 m						
		Sewage general Sewage in KLD:		generated	ing and after o	ــــــــــــــــــــــــــــــــــــــ	40)	
		STP technolo	00	sewage will	be treated in a	erobic tre	eatment of ET	P		
27.Sewage and Waste water	Capacity of S (CMD):		No STP. ETI	of 700 CMD	capacity is	provided for	effluent treat	ment		
Waste w	ater	Location & a the STP:		No STP. ETI	P is provided					
		Budgetary al (Capital cost	<u>):</u>	proposed co	st for water tr	eatment- 1	Rs. 1,00,00,00	00		
		Budgetary al (O & M cost)	location :	Rs.12,00,000	0					

	28.Soli	d waste Management		
Waste generation in the Pre Construction	Waste generation:	in construction phase minor quantity construction waste will be generated.		
and Construction phase:	Disposal of the construction waste debris:	construction debris will be used for landfill inside the plot premise		
	Dry waste:	144 TPA scrap plastic and other non hazardous dry waste will be generated in operation phase		
	Wet waste:	Hazardous wet waste will be disposed to CHWTSDF or it will be sold to authorised re-processor.		
Waste generation in the operation	Hazardous waste:	HW will be disposed at CHWTSDF or it will be sold to MPCB authorised recycler.		
Phase:	Biomedical waste (If applicable):	if generated, it is disposed to authorised party		
	STP Sludge (Dry sludge):	No STP sludge. it is estimated that 14 TPA ETP sludge will be produced during operation phase. it will be disposed to CHWTSDF		
	Others if any:	3 Tarfor		
	Dry waste:	total 144 MT/year scrap/ dry non hazardous waste will be generated will be sold to authorised recycler.		
	Wet waste:	Hazardous wet waste will be disposed to CHWTSDF or it will be sold to authorised re-processor.		
Mode of Disposal of waste:	Hazardous waste:	Hazardous wet waste will be disposed to CHWTSDF or it will be sold to authorised re-processor.		
or waste:	Biomedical waste (If applicable):	if generated, it is disposed to authorised party		
	STP Sludge (Dry sludge):	No STP sludge. it is estimated that 14 TPA dry ETP sludge will be produced during operation phase. it will be disposed to CHWTSDF		
	Others if any:	not applicable		
	Location(s):	additional 2002 sq. m. will be required for expansion of production activity as per plot layout.		
Area requirement:	Area for the storage of waste & other material:	THE STATE OF THE S		
	Area for machinery:	प्रस्य मृद्रा		
Budgetary allocation (Capital cost and	Capital cost:	0		
O&M cost):	O & M cost:	Rs. 3,00,000		

Government of Maharashtra

		29.Ef	fluent Charecter	estics			
Serial Number	Parameters	Unit	Inlet Effluent Charecterestics	Outlet Effluent Charecterestics	Effluent discharge standards (MPCB)		
1	pН			7.0	6.5-8.5		
2	SS	mg/L		<10	100		
3	BOD 3 days 27 deg. C	mg/L		37	100		
4	COD	mg/L		112	250		
5	oil and grease	mg/L		04	10		
6	TDS	mg/L		1537	2100		
7	Chlorides	mg/L		455	600		
8	sulphates	mg/L		95	1000		
9	% sodium	mg/L	MIM	623 (0.0623 %)	60%		
10	phenolic compound	mg/L	如())))([][]	0.3	5		
11	TAN	mg/L		1.0	50		
12	chromium (Cr+6)	mg/L	न्वववाधक	<0.1	0.1		
13	sulphides (as S)	mg/L	- 37	<0.5	2.0		
14	phosphates (as P)	mg/L	(-)	<0.5	5.0		
15	Bioassay Test	70	70	90 % survival of fish after first 96 hrs. in 100 % effluent.	90 % survival of fish after first 96 hrs. in 100 % effluent.		
Amount of e (CMD):	effluent generation	after expan	sion 504 CMD	月三			
Capacity of	the ETP:	700 CMD					
Amount of trecycled:	reated effluent						
Amount of v	vater send to the CETP:	504 CMD					
Membershi	o of CETP (if require):	Member of CETP Mahad. membership no. : 112					
Note on ETP technology to be used		Effluent stream segregation will be done on the basis of TDS concentration. High TDS stream will be first treated in salt recovery system and recovered water will be treated in 2 stage ETP consisting primary and secondary treatment. An ETP having 700 CMD capacity consisting of primary treatment and Sequential Batch Reactor as secondary treatment is presently employed to treat the effluent. An additional SBR of 250 CMD capacity will be provided.					
Disposal of	the ETP sludge	To CHWTSI	OF or sell to MPCB autho	orised re-processor.			

Government of Maharashtra

		30.Ha	zardous	Waste D	etails		
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	alkali residue	12.2	TPA	20		20	CHWTSDF
2	chemicals containing residue from decontamination	33.1	TPA	2.4	2.6	5.0	CHWTSDF
3	used/ spend oil	5.1	TPA	2.4	2.4	4.8	MPCB authorized recycler
4	spent solvent	20.2	TPA	12	12	24	CHWTSDF/ MPCB authorized recycler
5	discarded containers/ barrels / liners/ plastic bags/ PPE	33.3	nos.	120	120	240	CHWTSDF/ MPCB authorized recycler
6	chemical sludge from wastewater treatment	34.3	TPA	7.2	6.8	14	CHWTSDF/ MPCB authorized recycler
7	evaporation salt (NaCl)	37.2	TPA	1818	144	144	CHWTSDF/ MPCB authorized recycler
	4	31.St	acks em	ission D	etails	7	
Serial Number	Section & units		ed with ntity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases
1	DG set (500 KVA)	135 L/h	our HSD	5 61	10	0.15	265 C
2	Scrubber (Process stack)			2	16	0.5	59 C
3	Diesel engine stack-1	22 L/h	r HSD	3	6.5	0.1	199 C
4	Diesel engine stack-2	-01	r HSD	4	6	0.07	214 C
5	Boiler stack	J	y LDO/ FO	5	30	0.3	160
6	DG set (200 KVA)	A GCDA	nected		- A		
	5/	32.De	tails of I	uel to b	e used	12.	
Serial Number	Type of Fuel		Existing	HY,	Proposed	7	Total
1	HSD	2()	174 L/hr	9	0		174 L/hr
2	LDO/ FO		0		834 Kg/day		834 kg/day
Source of F	uel	local	vendors	NA			
Mode of Tra	ansportation of fuel to sit	e by ro	ad transport	ation			
			-4-6				ľ
			33.Eı	nergy			

Maharashtra

		-	ı		
		Source of power supply:	MSEDCL		
		During Construction Phase: (Demand Load)	1375 KW		
Dowon		DG set as Power back-up during construction phase	500 KVA		
		During Operation phase (Connected load):	1850 KW		
Power requires		During Operation phase (Demand load):	1850 KW		
		Transformer:	1000 KVA	\ _	
		DG set as Power back-up during operation phase:	yes. existing 500 k	XVA DG will be used.	
		Fuel used:	135 L/Hr HSD	500 C	
		Details of high tension line passing through the plot if any:	Plot is in MIDC, Mahad. No high tension line is passing through t		
			ng by non-cor	nventional method:	
		54.Energy savi	ilg by ilon-cor	iventional method.	
26 Detail			calculations	& % of saving:	
Serial		7			
Number	E	nergy Conservation Mo	easures	Saving %	
1		F C		K R	
		37.Details	of pollution c	ontrol Systems	
Source	1	Existing pollution contr	ol system	Proposed to be installed	
process emissions	1 alkali s	crubber of 25 Cum/hr cap	pacity is provided .	1 addtional alkali scrubber of 50 cum/hr capacity will be provided	
boiler emissions	pı	resently no boiler is used	in the plant	proposed FO/LDO run boiler will be provided stack as per CPCB guidelines.	
DG set emissions	DG set	is used in power cut only neight is provided as per o	. Adequate stack guidelines.	no additional DG set is proposed. existing controlling methods will be used	
sewage treatment	sewage	e is mixed with effluent ar sequencing batch reacto	nd it is treated in or of ETP	existing treatment method will be utilised.	
Diesel engine stacks		adequate stack height is	provided	no additional diesel engines are proposed. Existing controlling methods will be used	
process effluent treatment treatment A 700 CMD capacity ETP is use primary treatment and second sequencing batch reactors are en aerobic treatment of the effluent. T is dischared to CETP, Mal		lary treatment. oployed for better The treated effluent	effluent stream load segregation will be done on the basis of TDS load. high TDS effluent will be initially treated by a salt recovery system and salt is recovered from process effluent. the remaining low TDS process effluent is further treated in ETP and it will be discharged to CETP, Mahad. additional 250 CMD capacity SBR will be installed to provide higher retention time for secondary treatment which will ensures better effluent treatment.		
Noise pollution			maintenance of	additioinal equipment will be provided with acoustic enclosures to control noise pollution	
Solid waste management	vendors.	azardous waste is sold to a Hazardous waste is dispo d to MPCB authorised dea category.	osed to CHWTSDF	The existing treatment methods will be continued for additional waste generated. Salt recovered from the salt recovery system will be sold as byproduct.	
Budgetary a (Capital co		Capital cost:	capital cost for add	ditional energy requirement is included in project	
Ö&M co		O & M cost:	Rs. 5,00,000 for pr	roposed energy requirement	
38.	Envir	onmental Mar	nagement p	olan Budgetary Allocation	

Shri Satish.M.Gavai (Member Secretary SEIAA)

	a)	Construction pha	se (with Break-u	p):
Serial Number	Attributes	Parameter	Total Cost p	er annum (Rs. In Lacs)
1	air pollution control	dust emission- construction of barriers, water sprinkling on emission sources, cement bags will be stored in closed area and handled appropriately., only PUC certified vehicles will be used for transportation of construction materials		2.00
2	water pollution control	the sewage will be treated in ETP. the waste water which will be generated from construction processes will be treated in existing ETP	10 TO TO THE SECOND SEC	0.5
3	noise pollution control	noise generating operations will be carries out only in daytime. the housing/ barriers will be provided for equipment.	a diam	0.5
4	soil pollution control	land will be kept clean by proper housekeeping. The construction debris will be used for landfilling in the plant premise.		0.5
5	Occupational health	Workers will be provided PPEs. Safety training will be provided to workers. medical facility and assistance will be provided to workers in emergency.	मुद्रा असूरे	1.0
0.11	b) Operation Phas	e (with Break-up	
Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air Pollution Control	1 additional alkali scrubber of 50 cum/hr will be provided with appropriate stack height in the expansion phase. 3. The proposed FO/LDO run boiler will be provided stack as per CPCB norms.	ment ashti	1.2 1.2

			Effluent stream					
2		Pollution ontrol	segregation will be done before treatment. High The effluent stream will treated in salt recovery system a condensate will be mixed with low The stream and it will treated in two stage ETP. Low TDS/CO stream will be treated in two stage ETP consisting of primal and secondary treatment. One additional SBR of CMD capacity will provided for secondary treatment.	DS l be and be be be ge bb be ted barry	1,00	7	12	
3		Pollution ontrol	Along with existing control measures acoustic enclosure will be provided as better equipmen maintenance will done for effective noise pollution controls	s, es nd t be	ten 18		0.5	
4	Monit	ronment oring and agement	periodic monitoring will be done inside plant including ambient air monitoring, word place monitoring source emission monitoring.	the k	5	是是	12	
5	Occupat	ional Health	Periodic safety training, health checkup of employ . Medical facilities provided to employees.	ees	F1 0245		0.5	
6	Gre	en Belt	the existing green l will be maintaine properly	oelt d	MICH		3	
7		d Waste agement	Solid hazardous wa will be disposed a CHWTSDF or it will sold to MPCB authorized recycle Non hazardous wa will be disposed through MPCB authorized dealer The salt which is recovered from hi TDS effluent will l sold as byproduc	rs. ste	ner Ish	nt o tra	3	
8	Water c	onservation	RWH tank will be constructed for collection and use roof top rain wate	of	10		0.25	
39.S	torage	e of ch	emicals (infl	amal stand	ole/explo	osive/haz	zardou	s/toxic
Descri		Status	Location	Storag Capacit in MT	Maximum Quantity of Storage	Consumption / Month in MT	Source of Supply	Means of transportation





		<u> </u>	1				
2-Ethyl hexyl chloroformate	Liquid	Drums	30	30	35	Local	road
Pivaloyl chloride	Liquid	Drums	8	8	10	Local	road
Benzoyl chloride	Liquid	Drums	30	30	13.7	Local	road
Isopropyl chloroformate	Liquid	Drums	10	10	1.5	Imported	Sea
Isododecane	Liquid	Drums	15	15	27	Imported	Sea
RAV 7AT	Liquid	Drums	25	25	5	Imported	Sea
Tert. butyhydroperoxide 70 %	Liquid	Drums	45	45	93	Imported	Sea
Hydrogen peroxide 70 %	Liquid	Tank	28	28	32.2	Local	road
Acetic acid	Liquid	Drums	2	2	1.4	Local	road
Sulphuric acid	Liquid	Drums	3	7 3	9.3	Local	road
Sodium hydroxide (30%)	Liquid	Tank	45	45	198	Local	road
Potasium hydroxide	Solid	Drums	19387	3	2.2	Local	road
2-EHCL	Liquid	Drums	16	16	19	Local	road
Neo deconoyl chloride	Liquid	Drums	7.5	7.5	4.5	Local	road
Methanol	Liquid	Drums	12	12	30.3	Local	road
1,1,3,3 tetra methyl butyl Hydroperoxide	Liquid	Cans	12	12	4.5	Imported	Sea
Methyl ethyl ketone	Liquid	Drums	3 ()	3	5.8	Local	road
Alcotex	Liquid	Drums	4	_ 4	1	Imported	Sea
Toluene	Liquid	Drums	14.5	14.5	30.3	Local	road
Dequest 2060 S	Liquid	Drums	1.5	1.5	0.7	Imported	Sea
Isobutyryl Chloride	Liquid	Drums	40	40	93.3	Local	road
Acetyl acetone	Liquid	Drums	7	7	1,1	Imported	Sea
spirdane D60	Liquid	Drums	45	45	29.2	Imported	Sea
HCl 30%	Liquid	Tank	20	20	41	Local	Road
Isononanoyl Chloride	Liquid	Drums	16	16	16.3	Imported	Sea
Cyclohexanone	Liquid	Drums	2	2	7	Imported	Sea
Isononanoic Acid	Liquid	Drums	1	1	0.4	Imported	Sea
TBA	Liquid	Drums	6	6	2.1	Imported	Sea
Diisopropanol Benzene	Liquid	Drums	8	8	8.3	Imported	Sea
Sodium Perchlorate	Liquid	Drums	4	4	4.2	Local	Road
DHP	Liquid	Drums	5	5	4.2	Imported	Sea
Isopar H	Liquid	Drums	24	24	27.7	Imported	Sea

Maharashtra

CRZ/ RRZ clearance obtain, if any:	not applicable
Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Scattered patches of Reserve Forest exist at an aerial distance of more than 5 km from the project site.
Category as per schedule of EIA Notification sheet	schedule 5(f) category 'B1'
Court cases pending if any	no
Other Relevant Informations	
Have you previously submitted Application online on MOEF Website.	Yes
Date of online submission	07-04-2017

3. The proposal has been considered by SEIAA in its 115th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

Specific Conditions.	
I	PP to take utmost care to mitigate the findings of the life cycle analysis to reduce global warming potential and increase the sustainability index.
General Conditions:	
I	(i)PP to achieve Zero Liquid Discharge; PP shall ensure that there is no increase in the effluent load to CETP.
п	73 TPH boiler should have stack height of 68m and flue gases shall be passed through an ESP of 99.9% efficiency before being led into the 68 m stack.
III	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
IV	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
V	Proper Housekeeping programmers shall be implemented.
VI	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VII	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VIII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
IX	Arrangement shall be made that effluent and storm water does not get mixed.
X	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
XI	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XII	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XIII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIV	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XVI	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.
XVII	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVIII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.

XIX	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
xx	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XXI	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXII	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXIII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIV	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXVI	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.



- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1stFloor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Mans

Shri Satish.M.Gavai (Member Secretary SEIAA)

Copy to:

- 1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
- 2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
- 3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
- 4. SHRI ANIL .D. KALE. CHAIRMAN SEAC-III
- **5.** SECRETARY MOEF & CC
- **6.** IA- DIVISION MOEF & CC
- 7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
- 8. REGIONAL OFFICE MOEF & CC NAGPUR
- 9. REGIONAL OFFICE MPCB RAIGAD
- 10. REGIONAL OFFICE MIDC RAIGAD
- 11. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
- 12. COLLECTOR OFFICE RAIGAD

Advernment of Maharashtra



भारत सरकार-कॉर्पोरेट कार्य मंत्रालय कम्पनी रजिस्ट्रार कार्यालय, पश्चिम बंगाल

नाम परिवर्तन के पश्चात नया निगमन प्रमाण-पत्र

कॉर्पोरेट पहचान संख्या : L24292WB1954PLC021516

मैसर्स ICI INDIA LTD.

के मामले में, मैं एतदद्वारा सत्यापित करता हूँ कि मैसर्स

ICI INDIA LTD.

जो मूल रूप में दिनांक बारह मार्च उन्नीस सौ चौवन को कम्पनी अधिनियम 1956 की धारा 3 के अन्तर्गत एक विधमान कम्पनी है और मैसर्स Indian Explosives Limited

के रूप में निगमित की गई थी, ने कम्पनी अधिनियम, 1956 की धारा 21 की शर्तों के अनुसार विधिवत आवश्यक विनिश्वय पारित करके तथा लिखित रूप में यह सूचित करके की उसे भारत का अनुमोदन, कम्पनी अधिनियम, 1956 की धारा 21 के साथ पठित, भारत सरकार, कम्पनी कार्य विभाग, नई दिल्ली की अधिसूचना सं.सा.का.नि. 507 (अ) दिनांक 24.6.1985 एस. आर.एन. A78356631 दिनांक 15/02/2010 के द्वारा प्राप्त हो गया है, उक्त कम्पनी का नाम आज परिवर्तित रूप में मैसर्स Akzo Nobel India Limited

हो गया है और यह प्रमाण–पत्र, कथित अधिनियम की धारा 23(1) के अनुसरण में जारी किया जाता है। यह प्रमाण–पत्र, मेरे हस्ताक्षर द्वारा कोलकाता में आज दिनांक पंद्रह फरवरी दो हजार दस को जारी किया गया है।

GOVERNMENT OF INDIA – MINISTRY OF CORPORATE AFFAIRS Registrar of Companies, West Bengal

Fresh Certificate of Incorporation Consequent upon Change of Name

Corporate Identity Number: L24292WB1954PLC021516

In the matter of M/s ICI INDIA LTD.

I hereby certify that ICI INDIA LTD. which was originally incorporated on Twelfth day of March Nineteen Hundred Fifty Four being an existing company as per Section 3 of the Companies Act, 1956 as Indian Explosives Limited having duly passed the necessary resolution in terms of Section 21 of the Companies Act, 1956 and the approval of the Central Government signified in writing having been accorded thereto under Section 21 of the Companies Act, 1956, read with Government of India, Department of Company Affairs, New Delhi, Notification No. G.S.R. 507 (E) dated 24/06/1985 vide SRN A78356631 dated 15/02/2010 the name of the said company is this day changed to **Akzo Nobel India Limited** and this Certificate is issued pursuant to Section 23(1) of the said Act.

Given under my hand at Kolkata this Fifteenth day of February Two Thousand Ten.

Seal of the Registrar of Companies, West Bengal

(Sd/-) SWADHIN BARUA उप कम्पनी रजिस्ट्रार / Deputy Registrar of Companies पश्चिम बंगाल West Bengal

कम्पनी रजिस्ट्रार के कार्यालय अभिलेख में उपलब्ध पत्राचार का पताः Mailing Address as per record available in Registrar of Companies office: Akzo Nobel India Limited GEETANJALI APARTMENT, 1ST FLOOR, 8-B, MIDDLETON STREET, KOLKATA – 700071, WEST BENGAL, INDIA



Office of the Registrar of Companies

PCNTDA Green Building,BLOCK A, 1st & 2nd Floor Near Akurdi Railway Station,Akurdi, Pune, Maharashtra, India, 411044

Certificate of Incorporation pursuant to change of name

[Pursuant to rule 29 of the Companies (Incorporation) Rules, 2014]

Corporate Identification Number (CIN): U24100PN2018PTC174373

I hereby certify that the name of the company has been changed from AKZO NOBEL CHEMICALS INDIA PRIVATE LIMITED to NOURYON CHEMICALS INDIA PRIVATE LIMITED with effect from the date of this certificate and that the company is limited by shares.

Company was originally incorporated with the name AKZO NOBEL CHEMICALS INDIA PRIVATE LIMITED.

Given under my hand at Pune this Twenty sixth day of June two thousand nineteen.

DS MINISTRY
OF CORPORATE
AFFAIRS

AFFAIRS

DS MINISTRY
OF CORPORATE
COMPOSITION OF CORPORATE
AFFAIRS

AFFAIRS

CHEREDDY JAGANADH REDDY

Registrar of Companies RoC - Pune

Mailing Address as per record available in Registrar of Companies office:

NOURYON CHEMICALS INDIA PRIVATE LIMITED

Timeless Building, 2nd Floor, 209/1B/1A,, Range Hills, Pune, Pune, Maharashtra, India, 411020



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437

Fax: 24023516

Website: http://mpcb.gov.in

Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/L.S.I

No:- Format1.0/CC/UAN No.000003495/- 200300030

Date: 12 03 2020

M/s. Nouryon Chemicals India Pvt. Ltd.

Plot No. E-18, 19, 20 and C-61 (Part), MIDC Mahad

Tal:- Mahad, Dist:- Raigad.

Sub:

Amendment in Consent to Operate in RED/LSI Category.

Ref:

- 1. Consent to Operate granted vide Format 1.0/BO/AST/MPCB-CONSENT-0000074098 /O-1908000496 dtd. 19.08.2019 which is valid upto 28.02.2021.
- Minutes of the 11th Consent Committee Meeting dtd. 13.01.2020.

Your application No.MPCB-CONSENT_AMMENDMENT-0000003495 Dated 13.09.2019

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to operate is granted for a period up to 28/02/2021
- The capital investment of the project is Rs.69.48 Crs. (As per C.A Certificate submitted by industry)
- Consent is valid for the manufacture of: 3.

Sr	Product	Maximum Quantity	иом
Pro	ducts:		TENTURE.
1	Organic Peroxide (Pure)	284.96	MT/M
2	Refilling/ Blending of Metal Alkyls (Pure)	141.83	MT/M
3	Soduim Chloride Salt (NaCl)	108	MT/M

Conditions under Water (P&CP), 1974 Act for discharge of effluent:

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path	
1.	Trade effluent	496.00	As per Schedule -I	CETP	
2.	Domestic effluent	8.00	As per Schedule - I		



Conditions under Air (P& CP) Act, 1981 for air emissions:

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S-1	Boiler (11 TPH)	1	As per Schedule -II
2	S-2	Diesel Engine Hydrant	1	As per Schedule -II
3	S-3	Diesel Engine Sprinkler	1	As per Schedule -II
4	S-4	DG set (500 KVA)	1	As per Schedule -II
5	S-5	DG set (200 KVA)	1	As per Schedule -II
6	S-6	Process Stack (HCI)	1	As per Schedule -II
7	S-7	Process Stack	1	As per Schedule -II

6. Non-Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Plastic waste/Plastic Wrappers/ Scrap	144	MT/A	Sale	Sale to Authorized party

 Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	12.2 Alkali residue	-20	MT/A	Landfill	CHWTSDF
2	33.1 Chemical-containing residue from decontamination and d	5.0	MT/A	Landfill	CHWTSDF
3	5.1 Used /spent oil	4.8	MT/A	Recycle*	Sale to authorized recycler/CHWTSDF
4	20.2 Spent solvent	24	MT/A	Recycle*	Sale to authorized recycler/CHWTSDF
5	33.3 Discarded containers / barrels / liner	240	Nos./Y	Recycle*	Sale to authorized recycler/CHWTSDF
6	34.3 Chemical sludge from waste water treatment	14	MT/A	Landfill	CHWTSDF
7	37.3 Concentration or evaporation residues	144	MT/A	Recycle*	Sale to authorized recycler/CHWTSDF

^{*} Industry shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016

- 8 The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- 9 This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- This consent is issued with overriding effect on earlier Consent to Operate granted by the Board Consent No. Format 1.0/BO/AST/MPCB-CONSENT-0000074098 /O-1908000496 dtd. 19.08.2019 which is valid upto 28.02.2021.

- 11 The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent. (Operate/Renewal).
- 12 The applicant shall comply with the conditions of the Environmental Clearance granted by Government of Maharashtra dtd. 26.04.2018.
- 13 This consent is issued pursuant to the decision of the 11th Consent Committee Meeting held on 13.01.2020.

For and on behalf of the Maharashtra Pollution Control Board.

> (E. Ravendiran IAS), Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	200000.00	5447655	28/02/2019	NEFT

Copy to:

- 1. Regional Officer, MPCB, Raigad and Sub-Regional Officer, MPCB, Mahad
- They are directed to ensure the compliance of the consent conditions.
- 2. Chief Accounts Officer, MPCB, Sion, Mumbai

SCHEDULE-I Terms & conditions for compliance of Water Pollution Control:

- A) As per your application, you have provided Effluent Treatment Plant (ETP) of designed capacity of 700.00 CMD for the treatment of 496 CMD effluent consisting of Primary (Collection tank, Neutralization tank, Equalization tank, Primary Clarifier/Primary Settling Tank), Secondary (Squential batch reactor)
 - B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent so as to achieve the following standards prescribed by the Board or under EP Act, 1986 and Rules made there under from time to time, whichever is stringent:

Sr.No	Parameters	Limiting concentration not to exceed in mg/l, except for pH
	Comp	pulsory parameters
(1)	pH	5.5 to 9.0
(2)	Oil & Grease	10 mg/l
(3)	BOD (3 days 27°C)	100 mg/l
(4)	Total Suspended solids	100 mg/l
(5)	Total Dissolved solids	2100 mg/l
	Add	itional Parameters
(6)	COD	250 mg/l
(7)	Chlorides	600 mg/l
(8)	Sulphates	1000 mg/l
(9)	% Sodium	60 %
(10)	Phenolic Compound	5.0 mg/l
(11)	Total Ammonical Nitrogen	50 mg/l
(12)	Chromium (Cr +6)	0.10 mg/l
(13)	Sulphides (as S)	2.0 mg/l
(14)	Phosphates (as P)	5.0 mg/l
(15) Bioassy Test		90% survival of fish after first 96 hrs in 100% effluent

- C) The treated trade effluent shall be reuse/recycled up to maximum extent and remaining shall be sent to MMA- CETP for further treatment and disposal. There shall not be any discharge outside the factory premises
- D) The Industry shall ensure connectivity of online monitoring system to the MPCB server including separate energy meter for pollution control system.
- A] As per your application, primary treated sewage connected to Effluent Treatment Plant for further treatment & disposal.
 - B) Industry shall comply prescribed standards & disposal path as prescribed at Sr. No. 1 B & C of schedule I.

- 3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
- The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	60.00
2.	Domestic purpose	10.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	470.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	100.00

 The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II Terms & conditions for compliance of Air Pollution Control:

 As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	5%	so,
S-1	Boiler (11 TPH)	Stack	30	LDO	834 Kg/Day	4.50	30.20
5-2	Diesel Engine Hydrant	Stack	6.0	HSD	18 Ltr/Hr	1.00	8.64
S-3	Diesel Engine Sprinkler	Stack	6.5	HSD	22 Ltr/Hr	1.00	10.56
S-4	DG set (500 KVA)	Acoustic Enclosure	3.5*	HSD	122 Ltr/Hr	1.00	58.56
S-5	D.G. Set (200 KVA)	Acoustic Enclosure	3.5*	HSD	100 Ltr/Hr	1.00	48.00
S-6	Process stack (HCI)	Scrubber	10	-	-	-	-
S-7	Process stack	Scrubber	10				

(*-Above roof level)

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm³
Acid Mist	Not to exceed	35.0 mg/Nm3
NH3	Not to exceed	35 ppm

- The Applicant shall obtain necessary prior permission for providing additional control
 equipment with necessary specifications and operation thereof or alteration or
 replacement/alteration well before its life come to an end or erection of new pollution
 control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).

SCHEDULE-III Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C 2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Consent to Operate	5.0 Lakh	Exisitng	Towards O and M of PCS and towards compliance of consent condition	28.02.2021	30.06.2021

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent. # Existing BG obtained for above purpose if any may be extended for period of validity as above.

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
			NA .			

BG Return details

Amount of BG Returned
1
V

SCHEDULE-IV General Conditions:

- The Energy source for lighting purpose shall preferably be LED based
- The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
- 3. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
- The applicant shall maintain good housekeeping.
- The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
- The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
- The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
- The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
- The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
- 11. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.

- The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
- 13. The PP shall provide personal protection equipment as per norms of Factory Act
- Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
- 15. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 16. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
- 17. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
- An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
- 20. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 22. The industry should not cause any nuisance in surrounding area.
- 23. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
- 24. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
- 25. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S1, S-2, etc. and these shall be painted/ displayed to facilitate identification.

- The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
- The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 28. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
- 29. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
- The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- 33. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

List of raw material:

Name	Total in	
1,1,3,3 tetra methyl butyl	MT/year	
Hydroperoxide		
2-EHCL	226	
2-Ethyl hexyl chloroformate	420	
Acetic acid	17.3	
Acetyl acetone	13	
Alcotex	12	
Benzoyl chloride	164	
Berol	2.4	
Calcium carbonate	150	
Cyclohexanone	12	
Dequest 2060 S	8.1	
DHP	50	
Diethylene Glycol	31.4	
Di-isopropyl Benzene	100	
Dimethylphthalate	70.7	
Ethapol	91	
HCL 30% solution	490	
Hydrogen peroxide 70 % solution	386.5	
Isobutaryl Chloride	1120	
Isododecane	320	
Isononanoic Acid	5	
Isononanoyl Chloride	195	
Isopar H	332	
Isopropyl chloroformate	18	
Magnesium sulphate	26	
Methanol	363.2	
Methyl ethyl ketone	69.2	
Neo deconoyl chloride	54	
Pivaloyl chloride	116	
Potasium hydroxide	26.5	

RAV 7AT	60
Silica	45
Sodium bicarbonate	6
Sodium Carbonate solid	1
Sodium chloride	535.9
Sodium hydroxide (30%) solution	2375.3
Sodium meta bisulphite	35.1
Sodium Perchlorate	50
Sodium sulphate	2.4
Spirdane D60	350
Sulphuric acid	112
TBA	25
Tert.butyl hydroperoxide 70 % solution	1116.4
Toluene	364
Total	10021.4
Water (as solvent base)	200 CMD

MAHARASHTRA INDUSTRIAL DEVELOPMENT CORPORATION (A Govt. Of Maharashtra Undertaking)



To,

No.DE(M)/E-18/ B 14865 Office of the Deputy Engineer. MIDC, Mahad Sub-Division, Mahad Dated: 30.03.2017

M/s. Akzo Noba Chemicals India Limited, Plot No. E-18, MIDC, Mahad Industrial Area. Mahad

Sub:

Change of companies name & sanctioned of 15 min dia water supply connection of plot No. E 18 in

Mahad Indl. Area.

Ref: 1. Your letter No. Nil dt. 09.02.2017

> This office letter No. DE(M)/A79990 dt. 03.03.2017 2.

Dear Sir,

Since you have paid water supply deposit Rs. 26 393 8 initial receipt No. 09C17_000689 & 09C17_000690 dt charges Ra. 575/-vide 29.03.2017 & accepted all terms & conditions under Water Supply Agreement, 15 mm diameter size of water supply connection is hereby sanctioned, taking in to consideration 11.50m3 / day requirement. The said of water supply will be Rs. 25.50 per Cum, till the BCC is obtained subjected to revision of water rates by MIDC from time to time.

A copy of water supply agreement is enclosed here with for your reference and further needful please.

Thanking you.

Your's faith!

Deputy Engineer

MIDC, Mahad Sub Division, Mahad

Copy submitted to the Executive Engineer, MIDC, Civil Division, Mahad for favour of information.



Env: Yes

Meter No / Size

CETP Collection for

TOTAL

Builtup Area: 4 465 00

Previous

Date

Reading

Maharashtra Industrial Development Corporation (A Government of Maharashtra Undertaking) (Issued Subject to MIDC's water Supply Regulation 1973)

GSTIN: 27AAACM3560C1ZV State: 27-Maharashtra

Original for receipent Duplicate for Supplier

CETP:Y MPCB:Y

Water Qty. Cub. Meter Remarks (If Any)

0.00

Water Bill IRN NO: 198af4f14e060b511859b4f755160899b3a813cbce698949e83345d58eaec9f4 CustGSTIn: 27AAQCA4386A1ZL Biil No :: Si21000688346 Mahad Consumer No: DV009/361MHD/301 Issued Date :: 15-10-2020 Month / Year :: September, 2020 **NOURYON CHEMICALS** Consumer Type: 1C1 Meter Size: Deposit Amt INDIA PVT. LTD Plot / Shed Area: 66.150.00 Min. Qty/ Day: 40.00 668,815 00 Piot / Shed No: E - 19 & 20 Min. Qty / Month: E - 19 & 20, E BlockMIDC Block No: E MAHAD INDL. ARE Sanction Qty / day. Add. Sec. Dep. Zone: 10 Meter Status: Working State: 27-Maharashtra Cap. Contribution: Stand Chg: Bcc: Yes Office Order : dt: 30-12-2014 End Dt: CarpetArea: 0.00 CETP Dep CETP: Yes Order No : Dated :

ETP · Y

Previous # Current Charges Amount Due Before Amount Due After Due Due Date Balance Due Date Date + I≡I 0.00 646,823,00 645,823,00 650,571,00 29-10-2020

Date

Current

Reading

361MHD ~ 839601 31-08-2020 849886 30-09-2020 10285 800446 80 0.00 0 0 1.00 0 1.00 2019 0.00 REGULAR CHARGES DPC Charges Code **CURRENT#** PREVIOUS ## **CURRENT#** PREVIOUS ## Water Charges L 0.00 2201 GST @ 0.00% 17 00*10,285 00*1 174,845.00 0.00 2,343.00 0.00 998599 GST @ 18 00% (Pit = 68 150 00 ° Rt = 3.00 ° PSi = 1 00) / 12 0.00 998599 SGST @9 00% Service Charges 18,538.00 0.00 0.00 SGST - Service Charge 0.00 1,488.00 0.00 CGST - Service Charge 0.00 998599 CGST @9 00% 1,488.00 0.00 0.00 Fire Charges 0.00 999126 GST @ 18 00% (66,150 00 1, 10)/12 6,064.00 0.00 0.00 SGST - Fire Charge 546.00 0.00 0.00 0.00 999126 SGST @9 00% 0.00 999128 CGST @9 00% CGST - Fire Charge 546.00 0.00 0.00 Drainage Charges 77,138.00 0.00 1,034.00 0.00 999490 GST @ 18 00% WAY = 10 285 00 * RI = SGST - Drainage 0.00 999490 SGST @9 00% 6,942.00 0.00 93.00 CGST - Drainage 0.00 999490 CGST @9 00% 6,942.00 0.00 93.00 0.00 GST @ 0.00% (Wtr = 10.285.00 * Rt = 2.20) (Area = 4.465.00 * Area Rt = 1.10 * Rt = 0.50 0.00 0.00 GSG CST @ 12.00% Security Deposite = Environment Charges 13,770.00 0.00 185.00

0.00

0.00

0.00

3,748.00

	LAST PAYMENT DETAILS Rcpt. No Date 21MAH00001254, 23-09-2020, 399,357.00	
-		DEPUTY ENGINEER M.I.D.C.
	Only	Cheque / DD/ PO should be drawn in fevour of Executive Engineer MiDC, Mahad Civil Payment Timings: 10:30:00 am to 01:30:00 pm.
	For Online Payment visit MIDC web site www.midcindia.org and use Consumer No. DV009/361MHD/301	Sundays and Public Holidays For any quaries, contact Deputy Engineer, MDC, Phone No. GST No.

* Please submit your official GST No., email and phone no while paying this bill at receipt counter.

CETP Treatment charges collected on behalf of CETP Association.

340,516.00

646,823.00

^{*} All Online, NEFT/RTGS payments shall be made through MIDC's Web Site only.

EXECUTIVE COMMITEE

Chairman Emeritus
Mr. Suresh S. Bhonsle
suresh.bhonsle@gmail.com
Mob. 9819830246

Chairman

Mr. Sambhaji B. Pathare

M/s. Privi Organics Ltd. sbpathare@privi.co.in Mob. 9167219216

Vice Chairman

Mr. Ashok N. Talathi

M/s. Mars-Chemie Pvt. Ltd. ant_64@rediffmail.com Mob. 9423824189

Secretary

Mr. Jayaprakash A. Shetty

M/s. Key Organics Pvt. Ltd. jayaprakash@indoaminesltd.com Mob. 9011015956

Treasurer

Mr. Rajendra A. Sheth

M/s. Hikal Ltd. rajendra_sheth@hikal.com Mob. 9764442468

EXECUTIVE MEMBERS

Mr. Manoj K. Sharma

M/s. Sandoz Pvt. Ltd. manoj.sharma@sandoz.com 02145-661300

Mr. Sudhir S. Lokhande

M/s. Sudarshan Chemical Ind. Ltd. sslokhande@sudarshan.com 02145-660288

Mr. Santosh E. Chavan

Raireshwar Organic Chem. Pvt. Ltd. sechavan@rediffmail.com Mob. 9921778484

Mrs. Kalyani K. Guduru

Nise Pharma Chem. Pvt. Ltd. nisechem@gmail.com Mob. 9422096034



MMA CETP CO-OPERATIVE SOCIETY LTD.

P-43, MIDC Industrial Area, Mahad, Dist. Raigad Pin 402 309 (Maharashtra)

■ Tel. (02145) 232285 ■ email:mma.cetp@mmamahad.com

AN-ISO CERTIFIED COMPANY

MMACETP/COR/2018-19/251

Date: 14/03/2019

To, The Unit head, M/S. AkzoNobel Speciality Chemicals Ltd. Plot No- E-18.19 &20, C-61(Part) MIDC Area. Mahad.

Reference: - Your letter dated 05th March 2019.

Subject: - NOC to connect effluent discharge to CETP from plot no. E-18.19 &20, C-61(Part)

Dear Sir,

Please note that your previous MPCB consented discharge is 648 CMD. As per your request, you are decreasing the discharge limited to 504 CMD. With reference to above subject and your letter dated 05th March 2019, we have No objection for the connection of your treated effluent 504 CMD from plot no. E-18.19 &20, C-61(Part) to CETP with following conditions.

Condition No.1: AkzoNobel Speciality Chemicals Ltd. should provide two days holding facility to hold the treated effluent in their premises in case of any deviation or any maintenance work.

Condition No.2: AkzoNobel Speciality Chemicals Ltd. should meet the consent conditions and discharge norms as prescribed by MPCB.

For MMA CETP Co-Operative Society LTD.

Chairman

(S.B. Pathare)





SADEKAR ENVIRO ENGINEERS PVT. LTD.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India. © . (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Gazetted By Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 * QCI-NASET Accredited EIA Consultancy Lab. accredited by NABL, Valid up to 26.03.2020 ★ Certified by ISO 9001;2015 & BS OHSAS 18001 : 2007

	ANALY	SIS TEST REPO	RT FOR WATER SAMPLE			
			Report Date	30/12/2019		
Name of Client	M/s. Nouryon C	hemicals India	Pvt Ltd.			
Address of Client	Plot No. E-18/19	Plot No. E-18/19/20, 61 (Part), MIDC Mahad, Dist-Raigad. 402302, Maharashtra.				
Order/Reference	As Per Dated – 1	3/12/2019				
Sample Collection Date	13/12/2019		Sample Receipt Date	13/12/2019		
Analysis Started On	14/12/2019		Analysis Completed On	30/12/2019		
Test Report No.	SEETL/W/12/19/	/068				
Environmental Condition Of Lab	Temp ⁰ C	26.2	Humidity %	53		
Sampling Point	Amba Garden		·			
Sample Details	Ground Water					
Sample Container	PVC Can		Sample Quantity	2000 ml		
Sample Collected By	SEETL Represent	tative				

Chemical Parameters

Sr. No.	Parameter	Result	Unit	IS desirable Limit (As per IS 10500) 2012	Method
1.	pH	6.882	-	6.5 - 8.5	APHA 4500 - H
2.	Color	20	Hazen	5.0	APHA 2120-B
3.	Odour	Agreeable	Agreeable	Agreeable	IS 3025 (Part 5) : 1983 (Reaffirmed 2002)
4.	Taste	Not Agreeable	Agreeable	Agreeable	IS 3025 (Part 7 & 8) : 1984 (Reaffirmed 2002)
5.	Turbidity	150	NTU	1.00	APHA 2130 - B
6.	TDS	590	mg/lit	500	APHA 2540 - C
7.	Ammonia	<0.1	mg/lit	0.5	iS 3025(Part 34):1988 (Reaffirmed 2014)
8.	Anionic Detergent	<0.08	mg/lit	0.2	APHA 5540 C
9.	Chlorides as Cl	104.91	mg/lit	250.00	APHA 4500 Cl* - B
10.	Fluorides as F	0.08	mg/lit	1.0	APHA 4500 F D
11.	Nitrate as NO ₃	4.02	mg/lit	45.00	APHA 4500 NO₃-B
12.	Phenolic Compound	<0.001	mg/lit	0.001	APHA 5530 B-C
13.	Total Hardness	345	mg/lit	200.00	APHA 2340 - C
14.	Sulphate as SO ₄	70.92	mg/lit	200.00	APHA 4500 SO ₄ - E
15.	Sulfide	<0.05	mg/lit	0.05	APHA 4500 - Sz-F

Checked By Nilesh Naik



Authorized Signatory Priti Thombare

Page 1 Of 2

Visited by:

Value

Value

BRANCH OFF.

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India © : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : 8-306/307, Piot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa 408 101. Goa State, India. (): (0832) 2411322 / 23 * E-mail: starlabgoa@rediffmail.com * CIN No. U45209MH1998PTC-110379



SADEKAR ENVIRO ENGINEERS PVT. LTD.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area. Thane - 400 604. Maharashtra State. India ②: (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail. prs@sadekarenviro.com psadekar5@gmail.com

SAVE WATER SAVE LIFE

Gazetted By Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25 02 2023 * QCI-NABET Accredited EtA Consultancy Lab. accredited by NABL, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

	ANAL	YSIS TEST REPO	ORT FOR \	WATER SAMPLE			
	-	<u> </u>		Report D	ate	30/12/2019	
Name of Client	M/s. Noury	on Chemicals I	ndia Pvt i	td.			
Address of Client	Plot No. E-1	.8/19/20, 61 (P	art), MIDO	Mahad, Dist-Raig	ad. 402	302, Maharashtra	
Order/Reference	As Per Date	ed – 13/12/201	9				
Sample Collection Date	13/12/2019)	Sample Receipt Date		13/1	13/12/2019	
Analysis Started On	16/12/2019	019 Analysis Completed On		19/12/2019			
Test Report No.	SEETL/W/1	2/19/068					
Environmental Condition Of Lab	Temp ⁹ C	27.1		Humidity %	5	1	
Sampling Point	Amba Gard	ien					
Sample Details	Ground Water						
Sample Container	Sterile Glas	ss Bottle Sample Qu		Sample Quantity	2	50 ml	
Sample Collected By	SEETL Repr	esentative		280	A PER SON A	g-averager was	

Microbiological Parameters

Sr. No.	Parameters	Results	Unit	IS desirable Limit (As per IS 10500) 2012	Method
1	Total coliforms at 37°C for 48 hrs.	Present	MPN index/100 ml	Absent	APHA-9221-8
2.	E.coli at 44.5°C for 24hrs.	Absent	MPN index/100 ml	Absent	APHA-9221-G

Note: Test results related only to the sample tested.

: This certificate may not be reproduced in part, without the permission of this laboratory.

: Method: APHA 23rd Edition: 2017

: Retention Period of Sample is 15 days from the date of Analysis report.

Engine Sea T. S. Sea T. S.

Authorized Signatory Pooja Kalange

Vontred Sy.

BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ①: (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY: 8-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India. (2): (0832) 2411322 / 23 • E-mail: starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



SADEKAR ENVIRO ENGINEERS PVT. LTD.

Ptot No. A-96, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. ② : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 ◆ E-mail ⊨prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE WEE

Gazetted By Ministry of Environment, Forest & Climate Change, Govt Of India, S. O. 857 (E), Valid upto 25.02.2023 * QCI-NABET Accredited EIA Consultancy

Lab. accredited by NABL, Valid up to 26.03.2020 ★ Certified by ISO 9001:2015 & BS OHSAS 18001 : 2007

ANALYSIS TEST REPORT FOR WATER SAMPLE				
	Report Date 30/12/2019			
Name of Client	M/s. Nouryon Chemicals India Pvt Ltd.			
Address of Client	dress of Client Plot No. E-18/19/20, 61 (Part), MIDC Mahad, Dist-Raigad. 402302, Maharashtra.			
Order/Reference	As Per Dated - 13/12/2019			
Test Report No.	SEETL/W/12/19/068			

Sr. No.	Parameter	Result	Unit	IS desirable Limit (As per IS 10500) 2012	Method
Chem	nical Parameters				
16.	Total Alkalinity	244.12	mg/lit	200	IS 3025(Part 23):1986 (Reaffirmed 2014)
17.	Cyanide as CN	<0.02	mg/lit	0.05	APHA 4500-CN - E
Meta	ıl Analysis				
18.	Aluminum	0.073	mg/lit	0.03	APHA 3125 B
19.	Barium as Ba	0.095	mg/lit	0.70	APHA 3125 B
20.	Boron As B	0.10	mg/lit	0.50	APHA 3120 B
21.	Calcium as Ca	114.22	mg/lit	75.00	APHA 3500 Ca-B
22.	Iron as Fe	0.015	mg/lit	0.30	APHA 3125- B
23.	Magnesium as Mg	14.58	mg/lit	30.00	APHA 3500 Mg B
24.	Manganese as Mn	<0.01	mg/lit	0.1	APHA 3125- B
25.	Selenium as Se	<0.0025	mg/lit	0.01	APHA 3125- B
26.	Silver as Ag	<0.01	mg/lit	0.10	APHA 3125 B
27.	Zinc as Zn	0.053	mg/lit	5.00	APHA 3125- B
28.	Cadmium as Cd	<0.0025	mg/lit	0.003	APHA 3500 Cd
29.	Lead as Pb	<0.01	mg/lit	0.01	APHA 3125- B
30.	Mercury as Hg	<0.001	mg/lit	0.001	APHA 3500 Hg
31.	Molybdenum as Mo	< 0.01	mg/lit	0.07	APHA 3125 B
32.	Nickel as Ni	0.015	mg/lit	0.02	APHA 3125 B
33.	Arsenic as As	<0.01	mg/lit	0,01	APHA 3125 B

Note: Test results related only to the sample tested.

: This certificate may not be reproduced in part without the permission of this laboratory.

: Method: APHA 23rd Edition: 2017

: Retention Period of Sample is 15 days from the date of Analysis report.

Checked By Nilesh Naik



Authorized Signatory
Priti Thombare

Page 2 Of 2
Norther by
Jalune
34

BRANCH OFF. : 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ①: (0832) 2437048 / 2437164 E-mail: sadekarenviro@rediffmail.com • Website: www.sadekarenviro.com

LABORATORY: B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-40, 101.
Goa State, India. (2): (0832) 2411322 / 23 • E-mail: starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Klean Nagar Road, M.I.D.C. Wagle Industrial Area, Thene - 400 604. Maharashira State, India. ©: (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail: prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Repor	t No.	SEETL200001186	Report Date	18/09/2020	
Name	ame of Client M/s. Nouryon Chemicals India Pvt Ltd.				
Addre	ss of Client	Plot No. E-18/19/20,	61 (Part), MIDC Mahad, Dist-Raigad. 4	02302, Maharashtra.	
Order	/ Reference	PO No. 4500968655,	Dated-24.12.2019		
Date (Of Monitoring	10/09/2020	Time of Sampling	Day	
ULR N	lo.	-			
Monit	ored By	SEETL Representative	e	77 - T. S.	
Sampling Plan SEETL/LD/F-03		SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-31	
		DAYT	TIME NOISE LEVEL MONITORING		
Sr. No.	E. C.	g Location neter away)	Day Time	Noise Limits in dB(A) Leq	
		# WORK	PLACE NOISE LEVEL MONITORING		
1.	Production B	uilding	66.6	90	
2.	Day Tank Are	a	67.1	90	
3.	Utility Area		78.1	90	
4.	BCP Area		80.8	90	
5. R.S. VI			64.6	90	
	AV. 63	AMB	IENT NOISE LEVEL MONITORING		
6.	Near Main G	ate	58.3	75	
7.	Near New ET	P	69.0	75	
8.	Near Emerge	ncy Gate	54.6	75	

Method:-IS:9989-1981 (RA 2001)

NOTE: 1) Limit During Day time < 75. (Day time shall mean from 6.00 am to 10.00 pm.)

- Limit During Night time < 70. (Night time shall mean from 10.00 pm to 6.00 am.)
- 3) # :- As per Factory Act Rules ,1963 scheduled XXIV Noise Limit 90dB(A) *dB(A) Leg denotes the time Weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
 - 4) A "decibel" is a unit in which noise is measured.
- 5)"A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human hear.
 - Leq: It is the energy mean of the noise level over a specified period.



Authorized Signatory Nilesh Naik

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ② : (0832) 2437048 / 2437164 E-mail: sadekarenviro@rediffmail.com • Website: www.sadekarenviro.com

: B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goa State, India. ♥ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379

M/s Nouryon Chemicals India Pvt. Ltd. (Formerly M/s Akzo Nobel India Limited) E- 18, 19, 20 & C-61 (Part), MIDC Mahad, District Raigad, Maharashtra.

Tree Plantation list:

Sr. No.	Name of Tree	No. of tree	Girth CM	Height CM
1.	Sag	1	61	213
		2	36	207
		3	64	219
		4	33	223
		5	41	210
		6	48	198
		7	38	183
		8	23	131
		9	41	186
		10	64	223
		11	36	216
		12	69	219
		13	56	229
		14	51	216
		15	79	207
		16	41	198
		17	30	207
		18	74	204
		19	64	210
		20	71	219
		21	25	216
		22	74	223
		23	51	216
		24	51	219
		25	89	219
		26	66	223
		27	38	210
		28	30	198
		29	53	183
		30	41	229
		31	28	216
		32	79	207
		33	74	198
		34	51	207

	ı	T	1	
		35	53	207
		36	61	204
		37	43	207
		38	18	119
		39	51	216
		40	53	219
		41	71	229
2.	Mango	1	203	244
		2	89	204
		3	79	223
		4	104	232
		5	58	229
		6	74	207
		7	97	241
		8	135	207
		9	127	262
		10	61	210
		11	58	223
		12	41	180
		13	84	207
		14	114	219
		15	51	244
		16	33	152
		17	56	244
		18	97	244
		19	30	122
		20	23	15
		21	20	110
		22	89	244
		23	20	91
		24	13	85
		25	13	82
		26	99	210
		27	97	223
		28	76	247
3.	Coconut	1	132	204
		2	69	186
		3	107	192
		4	122	189
		5	94	192
		6	97	229
		7	102	226
		8	71	204
		9	102	229
L	l	l	l	

10					
12 69 204 13 33 128 14 38 131 15 23 98 16 25 98 17 28 98 18 30 98 19 61 183 20 99 216 21 43 189 22 112 195 23 112 195 24 124 195 25 119 195 26 99 204 27 117 204 28 97 204 29 109 219 30 97 226 31 86 204 4. Palm 1 97 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			10	13	88
13			11	15	88
14 38 131 15 23 98 16 25 98 17 28 98 18 30 98 19 61 183 20 99 216 21 43 189 22 112 195 23 112 195 24 124 195 25 119 195 26 99 204 27 117 204 28 97 204 29 109 219 30 97 226 31 86 204 4. Palm 1 97 146 2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			12	69	204
15			13	33	128
16			14	38	131
17 28 98 18 30 98 19 61 183 20 99 216 21 43 189 22 112 195 23 112 195 24 124 195 25 119 195 26 99 204 27 117 204 28 97 204 29 109 219 30 97 226 31 86 204 4. Palm 1 97 146 2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			15	23	98
18 30 98 19 61 183 20 99 216 21 43 189 22 112 195 23 112 195 24 124 195 25 119 195 26 99 204 27 117 204 28 97 204 29 109 219 30 97 226 31 86 204 4. Palm 1 97 146 2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			16	25	98
19 61 183 20 99 216 21 43 189 22 112 195 23 112 195 24 124 195 25 119 195 26 99 204 27 117 204 28 97 204 29 109 219 30 97 226 31 86 204 4. Palm 1 97 146 2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			17	28	98
20 99 216 21 43 189 22 112 195 23 112 195 24 124 195 25 119 195 26 99 204 27 117 204 28 97 204 29 109 219 30 97 226 31 86 204 4. Palm 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			18	30	98
21			19	61	183
4. Palm 1			20	99	216
22			21	43	
4. Palm 112 195 24 1124 195 25 119 195 26 99 204 27 117 204 28 97 204 29 109 30 97 226 31 86 204 4. Palm 1 97 146 2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			22	112	
25 119 195 26 99 204 27 117 204 28 97 204 29 109 219 30 97 226 31 86 204 29 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219 102 219 103 207 104 105			23	112	
25 119 195 226 99 204 27 117 204 28 97 204 29 109 219 30 97 226 31 86 204 29 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219 10 102 219 10 103 104 105 1			24	124	
26 99 204 27 117 204 28 97 204 29 109 219 30 97 226 31 86 204 4. Palm 1 97 146 2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			25	119	
27			26	99	
28 97 204 29 109 219 30 97 226 31 86 204 4. Palm 1 97 146 2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			27	117	204
30 97 226 31 86 204 4. Palm 1 97 146 2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			28	97	204
31 86 204 4. Palm 1 97 146 2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			29	109	219
4. Palm 1 97 146 2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			30	97	226
2 114 149 3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			31	86	204
3 23 125 4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219	4.	Palm	1	97	146
4 58 146 5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			2	114	149
5 53 131 6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			3	23	125
6 145 238 7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			4	58	146
7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			5	53	131
7 58 213 8 142 146 9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219					238
9 117 219 10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219				58	213
10 99 207 11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219				142	146
11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			9	117	219
11 81 185 12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			10	99	207
12 157 250 13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			11	81	185
13 168 256 14 155 241 15 196 219 16 117 192 17 79 207 18 102 219			12	157	
15 196 219 16 117 192 17 79 207 18 102 219			13	168	256
16 117 192 17 79 207 18 102 219			14	155	241
17 79 207 18 102 219			15	196	219
17 79 207 18 102 219			16	117	192
10 71			17	79	207
19 71 210					219
			19	71	210

		20	69	192
5.	Sapodilla	1	43	149
		2	38	168
		3	33	171
		4	41	177
		5	43	180
		6	30	162
		7	25	162
		8	38	177
		9	33	174
		10	28	180
		11	36	177
		12	41	162
		13	56	158
		14	30	165
6.	Guava	1	58	162
		2	56	177
		3	71	180
		4	46	158
		5	38	171
		6	20	122
		7	25	192
		8	38	189
		9	28	177
		10	33	174
		11	30	171
		12	36	171
		13	28	180
		14	28	174
7.	Umbar	1	99	256
		2	165	247
		3	168	244
		4	107	238
		5	48	162
8.	Jamun	1	152	232
		2	141	219
		3	178	271
		4	147	219
		5	47	104
9.	Kaju	1	23	149
		2	43	174

		3	48	171
		4	51	178
10.	Kud	1	33	174
11.	Ashok	1	20	207
12.	Chafa	1	119	192
13.	Vad	1	191	219
14.	Kadulimb	1	64	207
		2	61	192
		3	53	195
		4	48	174
		5	66	180
15.	Bhokar	1	185	229
		2	94	232
		3	119	232
		4	84	232
		5	71	226
16.	chinch	1	30	232
17.	Pinpal	1	302	299
18.	Karanj	1	112	302
		2	114	268
		3	94	262
		4	84	280
		5	51	287
		6	43	296
19.	Kanchan	1	64	174
		2	48	177
20.	Shevar	1	79	192
21.	Badam	1	119	210
22.	Nibara	1	64	219
		2	99	223
23.	Gulmohar	1	107	226
24.	Ashtbabhull	1	86	256
		2	127	223
25.	Mhavyache zad	1	76	210
		2	64	241
		3	114	256
		4	124	271
26.	Niv	1	53	244
		2	58	247
		3	56	253
		4	61	262

		5	50	247
		6	61	271
27.	Subabhul	85		
28.	Cell area	153		
29.	Cell area	49		
	Total	491		

(See rule 18(7) and Schedule II, III, IV, VI, VIII, X

Health

(In respect of persons employed in occupations

ay: Mare Name of Certifying Surgon:

					PAR	1		2			_	fart	J	*	The box gr	>	_
Nature of job or occupation	a	Carl Carl	77	Filther	Neldas ecompilita	Oper sulos	Fixes	Eleaperchan	SHIP Engl	Engl-Ing	Engg-Elect	Store Risistant	Office OC	Engg-ETP	STATE TABLE	Engg-ETP	Enga-Mech
Reason for leaving Transfer or discharge	60																
Date of ieaving or transfer to other work	7																
Date of emptoy- ment of present work	9	01540		26/9/93	17 6 46	2 12 92	6 11192	शिस्द	3495	धाराय	6119102	21195	10294	6 6 19	52118	2 5 12	611197
Age (last birth-day)	ю	100		44	44	15	25	27	94	39	60	55	49	42	42	8	43
Xex	4	Σ		Σ	Σ	- Z	Z	Σ	Σ	Σ	Σ	Σ	Σ	Σ	Σ	Z	Σ
Name of worker	8	Leadon Linis		Aswish O Nimbalkae	Feakash C Dhomaliyal	Sanjay & Babat	Dilip S Jodhav	Nogesh R Kadam	Miliad A Italipad	Manik U kange	Shiveli M Mande	Rajendea R Sogveton	Dayonder Orteologis	Mayue 5 Gawoole	Akshay B Atule	Dini U kamor	Nighant D Desmuty M
Works No.	2																
Serlai No.	-	-	4	d	M	2	. 0	9	14	00	व्	10	=	व	2	14	5

M.S GENERAL SURGEON
Reg. No. 3485/2010/11

1

XI, XIII, XIV, XV, XVII, XVIII and XX to rule 114)

Register declared to be dangerous operations under section 87)

FORM

(See rule 18(7) and Schedule II, III, IV, VI, VIII, X

Health

(In respect of persons employed in occupations

Name of Certifying Surgon:

			- 0	4.			A					43		_	_	-	-	
	Nature of job or occupation			Openior-UP	In Stewnerd	Pitte	Sopression	Arehase	OHC-PSSISAN	Store Brokey	J-Hims	Operator-ETP	expression prod	Electricito	Pike	Officer Oc	Operator	
	Reason for leaving Transfer or discharge	40		-														
	Date of leaving or transfer to other work	7									.2 2				<u>57</u>	4	\$ 1	_
i	Date of employ- ment of present work	80		26/4/19	11194	119196	15 R 33	16[4]94	119119	વામાદા	12 8 9)	91111	वीवीवी	24/1081	य्यापिङ	£05/22	1112/15	
	Age (last birth-day)	ю		28	43	54	647	53	2.3	977	95	ħħ	53	hh	52	949	15	
ŀ	Xe X	4		Σ	Σ	Σ	Σ	I	되	Σ	Σ	Σ	Σ	Σ	Σ	2	Σ	-
	Name of worker	8		Abwishek C. Bandogale	ROLDEN H SWinde	dae G	Mas K	8	Sayali R Mahadik	Nandpermoe D Tembe	Mahesh R Naulk	Rajush T Lad	Deepot M JOSHI	PEDSTIONS PHOENING	Rajan s Dnodve	Feadler Brandaleka	Peakosh K saedal	
	Works No.	8							-									
	No.	-		9	<u>d</u>	9	0 0	1 9	1 7	22	23	24	2	26	27	2	2	

XI, XIII, XIV, XV, XVII, XVIII and XX to rule 114)

Register

declared to be dangerous operations under section 87)

L. Bandogale 1 2. Bandogale 1 4. Stringe 1 R. Mahaduk R. Mahaduk R. Mahaduk R. Mahaduk R. Mahaduk R. Mahaduk R. Mahaduk R. Mahaduk R. Mahaduk S. Onordve.		28 44 53 44 55 44 55 44 65 65 65 65 65 65 65 65 65 65 65 65 65	Date of employment of present to work work	Date of transfer o	Reason for leaving Transfer or discharge	Nature of occupation occupation of occupation occupation of operate ETP operator of the operator of operator opera	(a) Mr. From (b) Mr. From From From From From From From From	Date of medical amination by Surgeon 11 10 19 11 11 11 11 11 11 11 11 11 11 11 11	Pr. P.	If suspended from work state period of suspension with detailed reasons 12	Certified fit to resume duty on with signature of Certifying Surgeon 13 M.S.G.	me of with date of Certifying suspension suspension suspension suspension suspension to worker 14 15 15 14 (MUMBAI) Reg No. 3465/2000/11 Reg No. 3465/2000/11 Reg No. 3465/2000/11 Reg No. 3465/2000/11 AFIH (MUMBAI) Reg No. 3465/2000/11 ARGENERA SURGEON AFIH (MUMBAI) Reg No. 3465/2000/11 ARGENERA SURGEON AFIH (AMUMBAI) ARGENERAL SURGEON ARGEN	Tiffed fit conflicte of with date of certifying or suspension sesued to worker 15 and 14 15 and 18 a	
Brandaleka	2	94	Fasisa	4		Office Oc				4) N.S. N.S.	SENERAL S	SUPEREDN	0 47 94
८ उत्हर्वय	Σ	15	1112/15	\$		operator	Aeid entocide	de			कार्य १	三甲 田二	10 (MUMBAI) 465/2080/11 यम १९४८ व्या गे स्पृत्ये हिल्हाकरिता	(V - E

(See rule 18(7) and Schedule II, III, IV, VI, VIII, X

Health

Name of Certifying Surgon: 1 Dhanay: Mare

Serial No.

(In respect of persons employed in occupations

Works No.	Name of worker	Sex	Age (last birth-day)	Date of employment of present work	Date of leaving or transfer to other work	Reason for leaving Transfer or discharge	Nature of job or occupation	
2	9	4	ហ	စ	7	8	6	
	Madhillese N Pendhass	Z	Š	2011/02			Deposit Line	
		-					The marked	-1
	facesh 3 kanko	Σ	27	2/1/12			Operator ETP	dhe
	Peashornt 6 Sheth	Σ	53	31511			Office -OC	
	Mahendea M Chutee	Σ	\$	21/12/95			Eleaberclan	11
Tr.	Dasheath R Patil	Σ	th	8)भावप			Operator	Aeid C
	Peakagh it More	Σ	15	1110193			子をそ	
	Subhash Tchaudhau	Σ	94	414191			Corrector	Aeid
	Suresh D Pari	Σ	52	शियुद्ध			SWITH INChaed	
	Samolip 5 fatil	Σ	50	21/2/93			Trefterentent	
:	Sandip M kadam	Σ	94	115195			Shift Freborgh	1 1
	Bragwan A Braud	Σ	75	1389			Pitte	1.1
	Tayesh I Fodkay	Σ	29	24112			Ореврыетр	authre
1111	Paeghuram & Salpal	Σ	hh	111196			Operates Red	Aeid 0
	Kalpesh L. Kadam	Σ	84	28/8/7			Office-Oc	1 1
IN THE	Bhoed + D Shinde	Σ,	49	4999			- Referred	1.

2

XI, XIII, XIV, XV, XVII, XVIII and XX to rule 114)

Register declared to be dangerous operations under section 87)

*******	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		***************************************	
6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			
\$ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			**********
			11244444444444444444	************
to 19		***************************************	*****************	
q	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9		to
2019	****	***************************************	******************	
calles.		*************	************	************
From C Chies 2019 to		From to to to	M	From to to
(a)	(a) N	_	(a)	_

Rew material Exemination Macical State period of State period			Date of			If erienandad	Continue 4	100	
Acid Chileride		Raw material or bye product handied	medical Examination by Certifying Surgeon		Results of Medical Examination	from work state period of suspension with detalled reasons	to resume duty on with signature of Certifying	certificate of unfitness or suspension lssued to worker	Signature with date of Certifying Surgeon
11 10[19 — 6.1— 1. —		10				12	13	14	15
Acid Chileride									
Acid Chlorade. " " " " " " " " " " " " " " " " " " "			-	- BT			-		
Acid Culcerde " " " " " " " " " " " " " " " " " " "			-						
Acid Cheesed (" " " " " " " " " " " " " " " " " " "	9	phoene		<u>ا</u>					
Acid Cheletide " " " Bit		98	1,7					-	
Acid culotedde 7 17 68 1- 68 1		-		1	-				
Acid culoeside. '' '' Briefland Brie							-		
Acid culoexide 7 17 8 19 19 19 19 19 19 19 19 19 19 19 19 19				- 10			-		NA.
Acid Cholestade (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1									1
Acid Oklocide. (1) (2) (3) (3) (4) (4) (4) (5) (4) (5) (4) (5) (6) (7) (7) (8) (8) (8) (8) (8) (8	Aeid			15			/pu		E
Acid Otheride. (1) (2) (3) (4) (4) (4) (4) (4) (4) (5) (4) (4) =	S GENE	SURG
Acid Oklocidd. ', ', ', ', ', ', ', ', ', ', ', ', ',				11					IH (MUMBAI)
Acid Oheberide. ', ', ', ', ', ', ', ', ', ', ', ', ',	-							कारवाने अधिन	यम १९४८ च्या
Autometical (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	£	त लिलान्यं		4			100	लम १० (२) प्रमा	। सयगड जिल्ह्याकरिता
Auphretical (17) Si. ET			1,				विनांक २०	がっない-18-	विनाक १९-११-२०२
(11			18 Piller	मिनिवकारनाया	TAMOSCOCIO & S.
Auphweitenerd (* 67 — 67 — 67 — 68 — 84 — 85 — 84 — 84 — 84 — 84 — 84 — 8									
Auphwellkacld (" - (") SI	í.			//					
Authwelterd () Athered arrange arrang									Merre
Automobile () At any and a strain and a str			1,						/
M S GENERA Reg. No. 34 Reg.							(IV)	. धनाज	E
() ि ि कारखाने अधिनिय कारखाने अधिनिय कारखाने अधिनिय कारखाने अधिनिय कारखाने अधिनिय (२) प्रमाण प्रमाण प्रमाण प्रमाण प्रमाण प्रमाण प्रमाण				(y)	*		~	AS GENER	SURG
क्रांखाने अधिनिव क्रांस (० (२) प्रमाण सिनंद २० ९९ २०१८ गायुन प्राधिक्त प्रमाणकश्रात्यांचे केत्सर									65/2000/11
कराम १० (२) प्रमाण सिमंद्र २० १९ २०१८ गायुग आयेष्ट्रा प्रमाणकशान्यां द्वितस्य	न	phoetic Acid	10.00	7				कारबाने उ	पम १९४८ च्या
अपिकृत प्रमणकश्रात्या विकस्त							Paris Paris	(১) 0)	रायगड जिल्ह्याकारता
	He.	Chloendo		1 23 V 23			MAGN	क्षा रण्डल बाहुत प्रमाणकश्चारात्रीक्रम्य	4114 14-18-40-40

(See rule 18(7) and Schedule II, III, IV, VI, VIII, X

Health

(In respect of persons employed in occupations

Name of Certifying Surgon: [[[Lanay | Mane,

Swith Tarkbeag Logistes. Marry Pendeuchen Many Mount-Monzage MSES Mamague Treamspool Planner Nature of job or occupation MPR 00 HRA Reason for leaving Transfer or discharge 00 Date of leaving or transfer to other work 2815193 Date of employ-ment of present work 1112 95 16/8/19 15/2/35 84 m 84 21/10/19 18/11/81 15998 10311 φ Age (last birth-day) 43 45 34 52 52 54 29 10 97 Sex Σ Σ Σ Σ Σ Σ 5 Σ Dattateay PoThaker Any M Waghmore sanyoy G Salumke Vinad Kaushyka Panolet R Kulkoeni Milma Deshipande Anil I Kashyap Visioyak S Angal Ashwini 6 Yogi Name of worker Works No. \sim Serial No. 46 43 847 649 20 52 54 53

XI, XIII, XIV, XV, XVII, XVIII and XX to rule 114)

Register

declared to be dangerous operations under section 87)

Signature with date of Certifying Surgeon 15					5	1 4	Now	1	11 日	M.S GENERAL SURGEON	FIH (MUMBA)	कारवाने अधिनयम १९४८ च्या	नाग रायगड जिल्ह्याकरिता	न दिनाक १९-११-२०२०	THE & ACCESON/20							
unfitness of unfitness or suspension issued to worker									State State	M.S GENE	Dog No	व्यत्वाने आ	रुतम १० (२) प्र	दनक २०-११-२०१८ पा	المشيئة والمساحلة	\						
Certified fit to resume duty on with signature of Certifying Surgeon 13														रनाक र	dhiik							
If suspended from work state period of suspension with detailed reasons																						
Results of Medical Examination																					,	
	-BT	100		E		13 T		- F3		ty I		R'E		ند دد		14						
Date of medical Examination by Certifying Surgeon 11	61 01 11		-				4)			-	,			,								
Raw material or bye product handled																	7					

MAHARASHTRA INDUSTRIAL DEVELOPMENT CORPORATION

(A Government of Maharashtra Undertaking)

HEAD OFFICE : "Udyog Sarthi", Mahakali Caves Road,

Andheri (E), Mumbai – 400 093.

Tele: (022) 26870052/54/27/73 Fax : (022) 26871587 **PRINCIPAL OFFICE** : 4,4 (A), 12th Floor, World Trade Centre, Complex-1,

Cuffe Parade, Mumbai - 400 005

Tele: (022) 22151451/52/53 Fax: (022) 22188203



No. MIDC/FIRE/Final-NOC/B-34064

Date: 11/06/2020.

M/s. Nouryon Chemicals India Pvt. Ltd., Plot No.- E-18, E-19, E-20 & C-61(part), MIDC, Mahad Indl. Area, Dist. Raigad.

Sub: Grant of "Final No Objection Certificate" for construction on Plot No. E-18, E-19, E-20 & C-61(part), MIDC Mahad Indl. Area, Dist. Raigad.

Ref: 1) This office Prov. Noc. No. MIDC/Fire/B42510, Dt: 24/04/2018. 2) This office Prov. Noc. No. MIDC/Fire/C73195, Dt: 13/08/2018.

3) Application No. SWC/20/25/20200601/694259.

Dear Sir,

With reference to the above, a representative of this office visited your factory on 09/06/2020 to the above-mentioned address for inspection of fire fighting arrangements provided by you. Since the fire fighting arrangements provided by you were found in satisfactory working conditions this office is issuing a "Final No-Objection Certificate" to your construction on above mentioned address. The Details of the construction is as under:

Building	Proposed FSI Area	Double Ht. FSI Area	Stair
	Ind.	Ind.	
Boiler Shed Ground Floor	43.46	21.73	
Electrical Room Ground Floor	49.40		
Plant of LDO Storage Tank Area	197.60		
Plant of HCLStorage Tank Area	56.81		
Cooling Tower	4.62		
Pipe Rack	146.41		
Extension to ETP Plant	254.88	109.24	12.50
Process Plant Ground Floor	100.55		56.96
First Floor	102.98	27.25	50.26
Mezzanine	39.72		25.13
Second Floor	94.20		50.26
IBCL Tank Farm	51.98		1.94
H2O2	58.06		1.94
Cold Storage Room	280.34		
Pipe Rack	69.30		
Grand Total	1550.31	158.22	198.99

 The occupant load of above buildings should not exceed in any case as prescribed in Table – 3 of National Building Code- 2016 part IV

As per the provision of Section 3, Sub Section 3 of Maharashtra Fire Prevention and Life Safety Measures Act, 2006, it is the sole responsibility of Owner or Occupier as the case may be, that he/she shall furnish to Chief Fire Officer & Fire

Advisor, MIDC or local Fire Station Officer a Certificate in a 'Form B' issued by License Agency twice a year in the Month of January And July regarding maintenance of fire prevention and life safety measures and systems in good repair and efficient working condition.

Following Statutory Provisions Under Maharashtra Fire Prevention and Life Safety Measures Act, 2006, should be adhered.

- 1. Under <u>Section 3</u> of "Maharashtra Fire Prevention and Life Safety Measures Act, 2006" (hereinafter referred to as "said Act"). The applicant (developer, owner, occupier by whatever name called) shall comply with all the Fire and Life Safety measures adhering to National Building Code of India, 2016 and as amended from time to time failing which it shall be treated as a violation of the said Act.
- 2. It is presumed that you have completed the work adhering to the provisions under **Section-3** of the said Act.
- 3. Under <u>sub-section (3) of Section 3</u>, it is responsibility of the Owner or the Occupier as the case maybe, shall furnish to The Chief Fire Officer or nominated officer a Certificate in a prescribed form twice a year in the Month of January &
 - July regarding maintenance of fire prevention and life safety measure in good repair and efficient condition as specified in **sub-section (1)**.
- 4. Under <u>sub section (4) of Section 3</u>, no person shall tamper with, alter, remove or cause any injury or damage to any fire prevention and life safety equipment installed in any such building or part thereof or instigate any other person to do so.
- 5. The inspection was carried out from fire safety point of view; however certain deviations in as built conditions vis-à-vis approved plans shall be subject to scrutiny & approval of concern special Planning Authority.

The Fire Extinguishers & other safety system installed by you in the factory premises shall be well maintained & shall be kept in tip-top working condition at all the time. If the fire protection system is not maintained, retrenched then this "N.O.C." will stand cancelled without any notice & you will be solely responsible to loss of life or property if any, which may please be noted.

As per Office Order No. MIDC/Fire Dept/1078 dated 12/07/06 and Office Order No. 768 dated. 23/04/2007, M/s. Nouryon Chemicals India Pvt. Ltd, had paid "Fire Protection & Scrutiny Fund Fees" & Additional Fire protection Fund Fees amounting to Rs. 2,35,890/- vide receipts No. 1073/CH/1207/2018, Dt 09.03.2018 & 1073/CH/2599/2018, Dt 09.05.2018 respectively.

The undersigned reserves right to amend any additional recommendations deemed fit during the stage wise inspection due to the statutory provisions amended from time to time and in the interest of the protection of the company.

Thanking you

Yours faithfully,



(S S Warick)
Chief Fire Officer & Fire Advisor,
MIDC, Mumbai-400 093.

Copy to Executive Engineer, MIDC Mahad Division for information please.

Maharashtra Pollution Control Board महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Manifest For Hazardous And Other Waste

Submitted Date: 12-12-2019

Apply as Generator

Unit Name	Plant Name	Submit To		
Nouryon Chemicals India Private Limited	MAHAD	SRO-Mahad		

Sender name and mailing address (including phone no. and email.)									
Sender Name	Sender Address	Sender Mobile No.	Sender Email						
Nouryon Chemicals India Private Limited	PLOT E-18,19,20 & C-61 PART/PART, MIDC INDUSTRIAL AREA MAHAD, DIST RAIGAD	9049173399	milind.deshpande@nouryon.com						

Sender authorisation No	Manifest Document No				
BO/AST/MPCB-CONSENT-0000074098/O-1908000496	MPCB-HW_MANIFEST-0000007218				

Trans	Transporter's name and address (including phone no. and email.)										
Transporter Name	Vehicle No.	Transporter Address	Transporter Mobile No.	Transporter Email							
Mumbai Waste Management Limited, Plot No. P - 32 and P - 32 (part), MIDC, Taloja, Panvel.	MH-46/F-688	PLOT NO 32,MIDC, TALOJA, DIST RAIGAD, PIN 410208	2227401468	mbdmwml@ramky.com							

Waste Generation Details										
Sr No	Date	Waste Category	Waste Name	Waste QTY						
1	01-01-1900									

				Wast	e Disposal I	Details			
Sr No	Date	Waste Category	Waste Name	Waste QTY	Waste Disposal To	Name of unit	Address of unit	Contact of unit	Email of unit
1	12-12-2019	35.3 Chemical sludge from waste water treatment	Sludge from waste water treatrment	0.350	CHWTSDF	Mumbai Waste Management Itd	PLOT NO 32,MIDC, TALOJA, DIST RAIGAD, PIN 410208	02227401468	mbdmwml@ramky.com
2	12-12-2019	33.1 Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Empty paint tins	0.118	CHWTSDF	Mumbai Waste Management Itd	PLOT NO 32,MIDC, TALOJA, DIST RAIGAD, PIN 410208	02227401468	mbdmwml@ramky.com

3	12-12-2019	33.1 Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Empty bags	0.045	CHWTSDF	Mumbai Waste Management Itd	32,MIDC, TALOJA, DIST RAIGAD, PIN	02227401468	mbdmwml@ramky.com
							410208		



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Form 4

See rules 6(5),13(8),16(6) and 20(2) of Hazardous and other wastes 2016

FORM FOR FILING ANNUAL RETURNS

[To be submitted to state pollution control board/pollution control committee by 30th June of every year for the preceeding period April to march]

Unique Application Number:

Submitted On:

MPCB-HW ANNUAL RETURN-0000013274

02-06-2020

Submitted for Year:

April 2019 to March 2020

1. Name of the generator/operator of facility Address of the unit/facility

Nouryon Chemicals India Private Limited

Plot no. E-18,19,20 & C-61 (Part/Part), MIDC Area Mahad

1b. Authorization Number Date of issue Date of validity of consent

Feb 28, 2021

CC/UAN No. 0000003495/2003000030

Mar 12, 2020

2. Name of the authorised person Amit M.Salagare

Nouryon Chemicals India Private Limited, Plot no. E-18,19,20 &

C-61 (Part/Part), MIDC Area Mahad

Full address of authorised person

Telephone

Fax

Email

904917339

02145232148

amit.salagare@nouryon.com

3. Production during the year (product wise), wherever applicable

Product Type *	Product Name *	Consented Quantity	Actual Quantity	UOM
Chemical ,Petrochemical &Electrochemical	Organic Peroxide	3419.52	754	MT/A
Chemical ,Petrochemical &Electrochemical	Metal Alkyls	1701.96	315	MT/A
Chemical ,Petrochemical &Electrochemical	Sodium Chloride Salt	1296.00	19	MT/A

PART A: To be filled by hazardous waste generators

1. Total Quantity of waste generated category wise

Type of hazardous waste	Wate Name	Consented Quantity	Quantity	иом
34.2 Sludge from treatment of waste water arising out of cleaning / disposal of barrels / containers	ETP Sludge	14.00	2.617	MTA
20.2 Spent solvents	Spent Solvent	24.00	1.310	MTA
12.2 Spent acid and alkali	Spent Chemicals	20.00	2.08	MTA
33.1 Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	Empty containers	240.00	221	numbers/anum

2. Quantity dispatched category wise.

Type of Waste	Quantity of waste	UOM	Dispatched to	Facility Name
34.2 Sludge from treatment of waste water	2.282	MTA	Disposal Facility	Mumbai Waste

20.2 Spent solvents	1.310	МТА	Co-processors or pre- processor	Kusum Distillation & Reffineing Pvt. Ltd
12.2 Spent acid and alkali	2.08	MTA	Disposal Facility	Mumbai Waste Management Ltd
33.1 Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	226	numbers/anum	Disposal Facility	Mumbai waste Management Ltd

3. Quantity Utilised in-house, If any

Type of Waste Name of Waste Quantity of Waste UOM
0 0 KL/Anum

4. Quantity in storage at the end of the year

Type of WasteName of WasteQuantity of WasteUOMNA0KL/Anum

PART B: To be filled bt Treatment, storage, and disposal facility operators

1.Total Quantity received	UOM	State Name
NA	KL/Anum	Other
2. Quantity in stock at the beginning of the year	иом	
NA	KL/Anum	
3. Quantity treated	иом	
NA	KL/Anum	

4. Quantity disposed in landfills as such and after treatment

Direct landfilling **UOM** NA KL/Anum **UOM** Landfill after treatment NA KL/Anum **UOM** 5. Quantity incinerated (if applicable) KL/Anum NA 6. Quantiry processed other than specified above UOM KL/Anum 7. Quantity in storage at the end of the year. **UOM** NA KL/Anum

PART C: To be filled by recyclers or co-processors or other users

1. Quantity of waste received during the year

Waste Name/Category	Country Name	State Name	Quantity of waste received from domestic sources	Quantity of waste imported(If any)	Units
NA	NULL	Other	NA	NA	KL/Anum

2. Quantity in stock at the beginning of the year

Waste Name/CategoryQuantityUOMNANAKL/Anum

3. Quantity of waste recycled or co-procesed or used

Name of WasteType of WasteQuantityUOMNANANAKL/Anum

4. Quantity of products dispatched (wherever applicable)

 $\begin{array}{ccc} \textit{Name of product} & \textit{Quantity} & \textit{UOM} \\ \textit{NA} & \textit{NA} & \textit{KL/Anum} \\ \end{array}$

NA	NA	KL/Anum
6. Total quantity of waste disposed		
Waste name/category NA	quantity NA	UOM KL/Anum
7. Total quantity of waste re-exported (If Applicable)		
Waste name/category NA	quantity NA	UOM KL/Anum
8. Quantity in storage at the end of the year		
Waste name/category NA	quantity NA	UOM KL/Anum
Personal Details		
Place	Date	Designation

2020-06-02

SITE MANAGER

MAHAD

Nouryon Chemicals India Private Limited <u>Emergency Drill Report</u>

F-HSE-08

Sr. No.	Check point	Observation
1	Drill No.	2020/Emergency preparedness Drill/01
2	Date of mock drill	28.05.2020
3	Time	16.35 hrs
4	Location	Ground Near Main Gate
5	Description of emergency	Release of Metal Alkyl from cylinder
6	First observer of Incidence	MAFS Supervisor
7	Emergency siren raised at	16.40 hrs
8	All clear siren raised at	17.05
9	Chief incident controller reporting time	16.42 hrs
10	Site controller name	N D Kawathekar
	Reporting time	16.42
11	Incident controllers name	Akshay Atule
12	Emergency control room coordinator	N D Tembe
	Reporting time	16.47 Hrs
13	Assembly point 1, in charge	D P Thakur
14	Assembly point 2, in charge	Security Supervisor, Mr. Lokhande
15	Emergency team members	Production operator, MAFS Supervisor
16	First aider	P B Tandalekar
17	Duties performed by the security in charge	 Closed the main security gate & locked Small gate. Arranged personnel of Assembly point in rows and checked head count. Locked incoming phone calls. Assisted MIDC Fire tender to incident location.
18	Details of Emergency actions	 MAFS Supervisor given information to Security supervisor about Metal Alkyl release from cylinder. Incident Controller raised emergency siren after getting confirmation from Chief Incident Controller. Chief Incident Controller directed emergency team. Emergency team Members including production supervisor and production operators reached incident location for support.


		 MAFS team extinguished Metal Alkyl fire. Category 2 PPE were used. MIDC Fire brigade was called. Evacuation of all employees & contractors confirmed by Chief Incident Controller.
19	Whether head count was tallied with gate entries?	Head count matched
20	Was external help was called? Give details?	Given call to MIDC Fire tender and response time was checked.
21	 All contract workers assembled at A All the site key personnel shifted the effective communication was there. Expected actions as pe site emerger Fire extinguisher operation was satis MIDC Fire tender and fire fighter tea After this drill, product safety informatighting provisions were presented to 	operators were available for help at location. ssembly point 1 & 2. Ire walky talky sets on channel No. 1 and ancy plans were taken by key personnel. Sfactory arrived at site for help. Ation and fire detection. Protection and fire of MIDC fire team.
22	Improvement areas noticed with respect To discuss the observation in Site m improvement actions.	tive to the plan anagement Team meeting to check possible
23	Action plan for improvement Action plan will be done during HSES co	ommittee meeting

Sanjay Salunke

Amit Salagare Vinayak Angal
Chief incident controller Observer

Ninad Kawathekar Site controller

M/s Nouryon Chemicals India Pvt. Ltd. (Formerly M/s Akzo Nobel India Limited) E- 18, 19, 20 & C-61 (Part), MIDC Mahad, District Raigad, Maharashtra.



Schematic Representation of organizational structure of Environment Management



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle industrial Area, Thene - 400 604, Maharashtra State, India. © : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Report No	SEETL200001179	Report Date	18/09/2020			
Name of Client	M/s. Nouryon Chemicals India Pvt Ltd.					
Address of Client	Plot No. E-18/19/20, 61	Part), MIDC Mahad, Dist-Raig	gad. 402302, Maharashtra.			
Order / Reference	PO No. 4500968655, Dat	red-24.12.2019				
Date Of Sampling	10/09/2020	Sample Receipt Date	11/09/2020			
Analysis Started on	12/09/2020	Analysis Completed (On 18/09/2020			
ULR No	-					
Sample Collected By	SEETL Representative	Sampling Duration	24 Hours			
Sampling Plan	SEETL/LD/F-03	Sampling SOP No.	SEETL/LD/SOP/AA-32			
Environmental Condition of	Lab	Temperature(°C) 24	4.9 Humidity (%) 55			
	AMBIENT	AIR STATION				
Location of H.V.S.	Near Changing Room	100 (C. S. S. C. S				
Lateral Distance	5.0 Meter From Changin	g Room				
Receptor Distance	1.5 Meters From Ground Level					
Ambient Temperature (°C)	27	Humidity (%)	98			
Wind Speed (km/hr)	11	Wind Direction (deg	SSE,146			
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM - 550) & G.P.S.(APM -	411)			
	POLLUTION	AL PARAMETERS	12			

Parameters	Result	Units	NAAQS Limits	Method
PM ₁₀	56	μg/m ³	100.00	IS 5182 (Part 23): 2006 (RA 2012)
PM _{2.5}	21	μg/m³	60.00	EPA Quality assurance guidance document 2.12, based on CPCB- 2011
SO ₂	14	μg/m³	80.00	IS 5182 (Part 2): 2001 (RA 2012)
NOx	20	μg/m³	80.00	IS 5182 (Part 6): 2006 (RA 2012)
Ammonia (NH ₃)	<20	μg/m³	400.00	Method No. 401 Based on Methods of Air Sampling and analysis-3 rd edition by J P Lodge
co	0.7	mg/m ³	04.00	NDIR IS 5182 (Part 10) C : 1999 (RA 2014)
Lead as Pb	<0.1	μg/m³	01.00	EPA compendium method IO 3.5
Benzene (C ₆ H ₆)	< 1	μg/m³	5.00	IS 5182 (Part 11) :2006 (RA 2012)
Arsenic(As)	< 5	ng/m³	6.00	EPA compendium method IO 3.5
Nickel(Ni)	< 5	ng/m³	20.00	EPA compendium method IO 3.5
Ozone (O ₃)	20	μg/m³	180.00	IS 5182 (Part IX): 1974
Benzo(a)Pyrene	< 0.025	ng/m³	1.00	IS 5182 (Part 12): 2004 (RA 2014)

NOTE: 1) The above results relate only to the condition prevailing at the time of Sampling.

- The above results relate only to the item tested.
- 3) PM₁₀-Particulate Matter of size < 10 µm
- 4) PM_{2.5} Particulate Matter of size < 2.5 μm
- 5) NAAQS-National Ambient Air Quality Standards

Authorized Signatory Nilesh Naik

Splane LABO

BRANCH OFF.

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India Ĉ : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com ● Website : www.sadekarenviro.com

: B-305/307, Piot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Gos State, India. ②: (0832) 2411322 / 23 • E-mail : stariabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India.

SAVE WATER SAVE LIFE

Report No		SEETL2	200001180	9	Report Date	Report Date		
Name of Client		M/s. Nouryon Chemicals India Pvt Ltd.						
Address of Client		Plot No	. E-18/19/20	0, 61 (Part),	MIDC Mahad, Dist-Ra	igad. 4	02302, Maharash	tra.
Order / Reference		PO No.	450096865	5, Dated-24	.12.2019	11.7-11.4111		-
Date Of Sampling		10/09/	2020		Sample Receipt Da	te	11/09/2020	
Analysis Started on		12/09/2020			Analysis Complete	d On	18/09/2020	
ULR No								
Sample Collected By		SEETL Representative Sai			mpling Duration	2	4 Hours	
Sampling Plan		SEETL/L	D/F-03		Sampling SOP No.		SEETL/LD/SOP/AA-32	
Environmental Condition of Lab				Temperature(°C)	24.9	Humidity (%)	55	
			AM	BIENT AIR S	TATION			
Location of H.V.S.		Near T	yte-5					
Lateral Distance		5.0 Me	ter From Ty	te-5				
Receptor Distance		1.5 Me	ters From G	round Level				
Ambient Temperature	(°C)	27			Humidity (%)		98	
Wind Speed (km/hr)		11			Wind Direction (deg ⁰)		SSE,146	
Instruments Used		R.D.S.(APM- 460), I	F.P.S.(APM -	-550) & G.P.S.(APM -	-411)		
			POLLU	TIONAL PA	RAMETERS			
Parameters	Re	esult	Units	NAAQS Limits		Met	thod	
04.4		e ma				10 canada		

Parameters	Result	Units	NAAQS Limits	Method
PM ₁₀	57	μg/m³	100.00	IS 5182 (Part 23): 2006 (RA 2012)
PM _{2.5}	25	μg/m³	60.00	EPA Quality assurance guidance document 2.12, based on CPCB- 2011
SO ₂	16	μg/m³	80.00	IS 5182 (Part 2): 2001 (RA 2012)
NOx	22	μg/m³	80.00	IS 5182 (Part 6): 2006 (RA 2012)
Ammonia (NH ₃)	<20	μg/m³	400.00	Method No. 401 Based on Methods of Air Sampling and analysis-3 rd edition by J P Lodge
со	0.8	mg/m³	04.00	NDIR IS 5182 (Part 10) C : 1999 (RA 2014)
Lead as Pb	<0.1	μg/m³	01.00	EPA compendium method IO 3.5
Benzene (C ₆ H ₆)	<1	μg/m³	5.00	IS 5182 (Part 11) :2006 (RA 2012)
Arsenic(As)	< 5	ng/m³	6.00	EPA compendium method IO 3.5
Nickel(Ni)	< 5	ng/m³	20.00	EPA compendium method IO 3.5
Ozone (O ₃)	24	μg/m³	180.00	IS 5182 (Part IX): 1974
Benzo(a)Pyrene	< 0.025	ng/m³	1.00	IS 5182 (Part 12): 2004 (RA 2014)

NOTE: 1) The above results relate only to the condition prevailing at the time of Sampling.

- 2) The above results relate only to the item tested.
- PM₁₀-Particulate Matter of size < 10 μm
- 4) PM_{2.5} Particulate Matter of size < 2.5 μm
- 5) NAAQS-National Ambient Air Quality Standards



Authorized Signatory Nilesh Naik

; 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India © : (0832) 2437048 / 2437164 E-mail ; sadekarenviro@rediffmail.com • Website ; www.sadekarenviro.com

: 8-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101, Goa State, India (© : (0832) 2411322 / 23 * E-mail : stariabgoa@rediffmail.com * CIN No. U45299MH1998PTC-116379

Verifical Sy:
BRANCH OFF.
Walter LABORATORY



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thans - 400 604, Maharashtra State, India. © : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 * E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Report No	SEETL200001181		Report Date		18/09/2020		
Name of Client	M/s. Nouryon Chemicals India Pvt Ltd.						
Address of Client	Plot No. E-18/19/20, 61 (Part), MIDC Mahad, Dist-Raigad. 402302, Maharashi						
Order / Reference	PO No. 4500968655, Dat	PO No. 4500968655, Dated-24.12.2019					
Date Of Sampling	10/09/2020		Sample Receipt Da	te	11/09/2020	-	
Analysis Started on	12/09/2020	13	Analysis Completed On		18/09/2020		
ULR No	-						
Sample Collected By	SEETL Representative Sa		ampling Duration 2		24 Hours		
Sampling Plan	SEETL/LD/F-03		Sampling SOP No.		SEETL/LD/SOP/AA-32		
Environmental Condition of	Lab		Temperature(°C)	24.9	Humidity (%)	55	
	AMBIENT	T AIR STA	TION				
Location of H.V.S.	Near Old ETP		6.00740				
Lateral Distance	5.0 Meter From Old ETP						
Receptor Distance	1.5 Meters From Ground Level						
Ambient Temperature (°C)	27		Humidity (%)		98		
Wind Speed (km/hr)	11						
Instruments Used	R.D.S.(APM- 460), F.P.S.(APM - 5	50) & G.P.S.(APM	-411)		

Parameters	Result	Units	NAAQS Limits	Method
PM ₁₀	60	μg/m³	100.00	IS 5182 (Part 23): 2006 (RA 2012)
PM _{2.5}	28	μg/m³	60.00	EPA Quality assurance guidance document 2.12 based on CPCB- 2011
SO ₂	18	μg/m³	80.00	IS 5182 (Part 2): 2001 (RA 2012)
NOx	25	μg/m³	80.00	IS 5182 (Part 6): 2006 (RA 2012)
Ammonia (NH ₃)	<20	μg/m³	400.00	Method No. 401 Based on Methods of Air Sampling and analysis-3 rd edition by J P Lodge
со	1.0	mg/m³	04.00	NDIR IS 5182 (Part 10) C: 1999 (RA 2014)
Lead as Pb	<0.1	μg/m³	01.00	EPA compendium method IO 3.5
Benzene (C ₆ H ₆)	< 1	μg/m³	5.00	IS 5182 (Part 11) :2006 (RA 2012)
Arsenic(As)	< 5	ng/m³	6.00	EPA compendium method IO 3.5
Nickel(Ni)	< 5	ng/m³	20.00	EPA compendium method IO 3.5
Ozone (O ₃)	25	μg/m³	180.00	IS 5182 (Part IX): 1974
Benzo(a)Pyrene	< 0.025	ng/m³	1.00	IS 5182 (Part 12): 2004 (RA 2014)

NOTE: 1) The above results relate only to the condition prevailing at the time of Sampling.

- The above results relate only to the item tested.
- 3) PM₁₀-Particulate Matter of size < 10 µm
- 4) PM_{2.5} Particulate Matter of size < 2.5 μm
- NAAQS-National Ambient Air Quality Standards



Authorized Signato Nilesh Naik

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Gos State, India 🛈 : (0832) 2437048 / 2437164 E-mail: sadekarenviro@rediffmail.com * Website: www.sadekarenviro.com

JABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panali-Goa-403 101. Gos State, India. Ø: (0832) 2411322 / 23 * E-mail: stariabgos@rediffmall.com • CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. © : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : pm@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Report Decoding No	SEETL2	200001182		Report Date		02/07/2020				
Name of Client	M/s. N	M/s. Nouryon Chemicals India Pvt Ltd.								
Address of Client	Plot No. E-18/19/20, 61 (Part), MIDC Mahad, Dist-Raigad. 402302,									
Order / Reference	PO No. 4500968655, Dated-24.12.2019									
Date Of sampling	24/06/	2020	Sample	e Receipt Date	25/06/2020					
Analysis Started on	10/09/2020		Analys	is Completed C	01/07/2020					
ULR No.	-									
Sampling Plan	SEETL/	LD/F-03	Sampl	ing SOP No.	SEETL/LD/SOP/AA-32					
Sample Collected By	SEETL Representative									
Environmental Condition of Lab			Tempera		24.9	Humidity (%)	55			
		DET	AILS OF STAC	CK						
Attached To Boiler		Boiler (11 TP	Boiler (11 TPH)							
Shape I		Round								
Diameter (mm)		860								
Height From Ground Level (Mtr) 30		30								
Temperature (°C)		105								
Velocity of Flue Gases (m/sec)		5.54								
Volume of Flue Gases (m3/hour)		10024.19								
Type of Fuel LD		LDO								

POLLUTIONAL PARAMETERS

Parameters	Result	Units	MPCB Limit	Method
Total Particulate Matter	56	mg/Nm ³	150	IS 11255 Part 1-1985 Reaff. 2014
SO ₂	8	Kg/Day	30.20	IS 11255 Part 2-1985 Reaff. 2014
NOx	33	mg/Nm ³	*****	IS 11255 Part 7 -2005 Reaff. 2012

NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.

2) The above results relate only to the item tested.



Authorized Signatory Nilesh Naik

Verified by:

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India €: (0832) 2437048 / 2437164 E-mail: sadekarenviro@rediffmail.com • Website: www.sadekarenviro.com

LABORATORY

: B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Goe State, India. €: (0832) 2411322 / 23 • E-mail: stariabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India. ① : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 ● E-mail : pra@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Report No	SEETL200001183		Report	Report Date				
Name of Client	M/s. Nouryon Chemicals India Pvt Ltd.							
Address of Client	Plot No. E-18/19/20, 61 (Part), MIDC Mahad, Dist-Raigad. 402302, Maharashtra.							
Order / Reference	PO No. 4500968655, Dated-24.12.2019							
Date Of Sampling	10/09/2020		Sample Receipt	Sample Receipt Date			11/09/2020	
Analysis Started on	12/09/2020		Analysis Compl	Analysis Completed On			18/09/2020	
ULR No								
Sample Collected By	SEETL Representative							
Sampling Plan	SEETL/LD	/F-03	Sampling SOP No.	iampling SOP No. Si			EETL/LD/SOP/AA-32	
Environmental Condition of Lab			Temperature(Temperature(°C) 24.9		Humidity (%)	55	
		DETAILS	OF STACK					
Attached To		DG Set 500 KVA		DG Set 200 KVA				
Shape		Round		Round				
Diameter (Mtr)		0.15		0.15				
Height From Ground Level (Mtr)		10 Mtr		10 Mtr				
Temperature (°C)		151		148				
Velocity of Flue Gases (m/sec)		9.28		9.25				
Volume of Flue Gases (Nm3/hour)		590.44		588.35				
Type of Fuel		HSD		HSD				

POLLUTIONAL PARAMETERS

Parameters	Res	sult	****	Marked		
	DG Set 500 KVA	DG Set 200 KVA	Units	Method		
Total Particulate Matter	43	41	/NI3	IC 11255 Day 1 1005 Day # 201		
MPCB Limit for TPM	150.00	150.00	mg/Nm ³	IS 11255 Part 1-1985 Reaff. 201		
SO ₂	3.4	2.9	W-10-			
MPCB Limit for SO₂	58.56	48.00	Kg/Day	IS 11255 Part 2-1985 Reaff. 2014		
Oxides of Nitrogen (NOx)	42	39	mg/Nm ³	IS 11255 Part 7-2005 RA.2012		

NOTE: 1) The above results relate only to the condition prevailing at the time of Sampling.

2) The above results relate only to the item tested.



Authorized Signator Nilesh Naik

Verifical by:
BRANCH OFF.
Walter LABORATORY

: 310, Dempo Towers, EDC Patto, Panaji-403 001. Gos State, India ♥ : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Webste : www.sadekarenviro.com

: B-308/307, Plot No. 61, Patell Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101. Gos State, India. €: (0832) 2411322 / 23 • E-mail: starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604. Maharashtra State, India. ⑦ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 ● E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Report No	SEETL20	SEETL200001184 Report Date				18/09/2020	
Name of Client	-		als India Pvt Ltd.	hadiprobosobin		10/05/1020	
Address of Client		The second second second second second second	(Part), MIDC Mahad, I)ist-Ra	aigad.	402302, Maharasht	ra.
Order / Reference			ated-24.12.2019			, , , , , , , , , , , , , , , , , , , ,	
Date Of Sampling	10/09/2	020	Sample Receip	t Date	e	11/09/2020	
Analysis Started on	12/09/2	/09/2020 Analysis Completed			On	18/09/2020	
ULR No							
Sample Collected By	SEETL RO	ETL Representative					
Sampling Plan	SEETL/LD	/F-03	Sampling SOP No.	Sampling SOP No.		SEETL/LD/SOP/AA-32	
Environmental Condition	n of Lab		Temperature	(°C)	24.9	Humidity (%)	55
		DET	AILS OF STACK				
Attached To		Diesel Engir	ne-1 (Sprinkler)	_	Diese	el Engine -2 (Hydran	t)
Shape .		Round		Rou		Round	
Diameter (Mtr)		0.1 Mtr		0.076		762 Mtr	
Height From Ground Lev	el (Mtr)	6.5			6.0		
Temperature (°C)		181			176		
Velocity of Flue Gases (n	n/sec)	10.0			9.69		
Volume of Flue Gases (N	lm ³ /hour)	282.78			159.	10	
Type of Fuel		HSD			HSD		

POLLUTIONAL PARAMETERS

Parameters	Re	sult	Units	Method	
	Diesel Engine-1 (Sprinkler)	Diesel Engine -2 (Hydrant)			
Total Particulate Matter	31	30	mg/Nm ³	IS 11255 Part 1-1985 Reaff. 2014	
MPCB Limit for TPM	150.00	150.00	mg/wm	15 11255 Part 1-1965 Reals. 20	
SO ₂	1.3	1.0	Va/Day	IS 11355 Do # 3 1095 Booff 2014	
MPCB Limit for SO ₂	10.56	8.64	Kg/Day	IS 11255 Part 2-1985 Reaff. 201	
Oxides of Nitrogen (NOx)	35	33	mg/Nm ³	IS 11255 Part 7-2005 RA.2012	

NOTE: 1) The above results relate only to the condition prevailing at the time of Sampling.

2) The above results relate only to the item tested.

Authorized Signatory Nilesh Naik

BRANCH OFF.

; 310, Dempo Towers, EDC Patto, Panaji-403 001. Gos State, India 🕜 : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

voritient sy. LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Paneji-Goa-403 101. Gos State, India. €: (0832) 2411322 / 23 • E-mail: starlabgos@rediffmail.com • C/N No. U45209MH1998PTC-116379



Sadekar Enviro Engineers Pvt. Ltd.

Plot No. A-95, Road No. 16, Kisan Negar Road, M.I.D.C. Wagle Industrial Area, Thans - 400 604. Maharashtra State, India.

② : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 ◆ E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

SAVE WATER SAVE LIFE

Report No	SEETL	SEETL200001185		Repo	ort Date		18/09/2020		
Name of Client	M/s. N	M/s. Nouryon Chemicals India		Pvt Ltd.					
Address of Client	Plot No	o. E-18/19/20, 6	51 (Part), N	AIDC Mahad,	Dist-Ra	igad.	402	302, Maharashtra	
Order / Reference	PO No.	4500968655,	Dated-24.	12.2019					
Date Of Sampling	10/09/	2020		Sample Rec	le Receipt Date			11/09/2020	
Analysis Started on	12/09/	12/09/2020		Analysis Completed On			18/09/2020		
Sample Collected By	SEETL	Representative	70				- 17		
Sampling Plan	SEETL/U	D/F-03 Sampling SOP					SEE	TL/LD/SOP/AA-32	95-
Environmental Condition	n of Lab			Temperature(°C) 24.		24.9	9	Humidity (%)	55
		DE	TAILS OF S	TACK					
Attached To		Scrubber (P	roduction	Plant)	Scru	ıbbe	r (New ETP)		
Shape		Round		Round		nd			
Diameter (Mtr)		0.5		0.12					
Height From Ground Lev	rel (Mtr)	16			16				
Temperature (°C)		37			37				

POLLUTIONAL PARAMETERS

	Results			мрсв	
Parameters	Scrubber (Production Plant)	Scrubber (New ETP)	Units	Limit	Method
Acid Mist	12	10	mg/Nm³	35.0	Lab SOP No. SEETL/LD/SOP/AA-31

NOTE: 1) The above results relate only to the condition prevailing at the time of Sampling.

2) The above results relate only to the item tested.

English T

Authorized Signatory Nilesh Naik

Voribur lay.

BRANCH OFF. ; 310. Dempo Towers, EDC Patto, Panaji-403 001. Goa State, India ♥ : (0832) 2437048 / 2437164 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bardez, Porvorim, Panaji-Goa-403 101.
Goa State, India ©: (0832) 2411322 / 23 * E-mail : starlabgoa@redifmail.com * CIN No. U45209MH1998PTC-116379



- ENVIRONMENTAL TESTING
- FOOD & MICROBIOLOGICAL TESTING
- * TEXTILE TESTING
- METALS, CHEMICAL TESTING
- TURNKEY, ENVIRONMENT CONSULTANCY
- SHE AUDIT & TRAINING

ULR NO.TC051501800002520P

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Nouryon Chemicals India Pvt. Ltd.

Plot E- 18,19,20 & C-61(Part)

Mahad, Dist.- Raigad, Maharashtra, INDIA

REPORT NO

: SAL/FM/61/NCIM/WW(20-21-0261)

REPORT DATE :02/09/2020 **CUSTOMER REF**: 4500968182

REF DATE

SAMPLE QUANTITY

: 23/12/2019

SAMPLE TYPE:

EFFLUENT WATER ANALYSIS

LOCATION : WW(20-21-0261)

: CETP Outlet

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1:1987 RA 2019 SAMPLING DATE

:07/04/2020

:28/08/2020 : 28/08/2020 SAMPLE COLLECTED BY: PARTY

SAMPLE SPECIFICATION: Waste Water

ANALYSIS START DATE ANALYSIS COMPLETE DATE

SAMPLE RECEIPT DATE

SAMPLE REGISTRATION NO.

: 02/09/2020

Test Parameter Unit Result Limit" Reference Method No. 7.69 6.5-8.5 IS 3025 (Part 11), RA Aug 2017: 1983 1 pН 100 IS 3025 (Part 17), RA Aug 2017: 1984 2 Total suspended solids mg/L 13 Total dissolved solids 1060 2100 IS 3025 (Part 16), RA Aug 2017: 1984 3 mg/L IS 3025 (Part 58), RA Aug 2017: 2006 Chemical Oxygen Demand (COD) mg/L 212 250 4 IS 3025 (Part 44), RA 2014: 1993 5 Biochemical Oxygen Demand (BOD) mg/L 64 100 IS 3025 (Part 39), RA 2014: 1991 6 Oil & Grease mg/L 8 10 IS 3025 (Part 24), RA 2014: 1986 1000 68 7 Sulphate, SO4 mg/L IS 3025 (Part 32), RA 2014: 1988 8 Chloride mg/L 534 600 50 IS 3025 (Part 34), RA 2014: 1988 1.0 mg/L 9 Ammonical Nitrogen 0.024 60 IS 3025 (Part 45), RA 2014: 1993 10 Percent Sodium % <0.1 5.0 IS 3025 (Part 43), RA 2014: 1992 11 Phenolic compounds mg/L 5 IS 3025 (Part 31), RA 2014: 1988 Phosphate (total) 0.8 12 mg/L 2 IS 3025 (Part 29), RA 2014: 1986 mg/L <0.1 13 Sulphide 0.10 IS 3025 (Part 52), RA 2014: 2003 Metal-Chromium mg/L 3.1 14 92 90% survival APHA 23rd Ed. 3112 B 15 **Bioassay Test** of fish after 96 hours in 100% effluent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

Vical

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing.

2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.

3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by Skylab Analytical Laboratory.

[&]quot;: As per MPCB Consent



- ENVIRONMENTAL TESTING
- **FOOD & MICROBIOLOGICAL TESTING**
- * TEXTILE TESTING
- METALS, CHEMICAL TESTING
- TURNKEY, ENVIRONMENT CONSULTANCY
- SHE AUDIT & TRAINING

ULR NO.TC051501800002521P

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Nouryon Chemicals India Pvt. Ltd.

Plot E- 18,19,20 & C-61(Part)

Mahad, Dist.- Raigad, Maharashtra, INDIA

REPORT NO

: SAL/FM/61/NCIM/WW(20-21-0262)

REPORT DATE

:02/09/2020 **CUSTOMER REF** : 4500968182

REF DATE

:23/12/2019

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : WW(20-21-0262)

SAMPLING PLANS, METHOD NO.: IS 3025 Part 1:1987 RA 2019

SAMPLING DATE **SAMPLE RECEIPT DATE ANALYSIS START DATE**

:04/05/2020 :28/08/2020 :28/08/2020 EFFLUENT WATER ANALYSIS

: CETP Outlet LOCATION SAMPLE SPECIFICATION: Waste Water

SAMPLE COLLECTED BY: PARTY SAMPLE QUANTITY

- 02/09/2020

Sr. No.	Test Parameter	Unit	Result	Limit*	Reference Method
1	pH	-	7.60	6.5-8.5	IS 3025 (Part 11), RA Aug 2017. 1983
2	Total suspended solids	mg/L	9	100	IS 3025 (Part 17), RA Aug 2017: 1984
3	Total dissolved solids	mg/L	1893	2100	IS 3025 (Part 16), RA Aug 2017: 1984
4	Chemical Oxygen Demand (COD)	mg/L	114	250	IS 3025 (Part 58), RA Aug 2017: 2006
5	Biochemical Oxygen Demand (BOD)	mg/L	34	100	IS 3025 (Part 44), RA 2014: 1993
6	Oil & Grease	mg/L	6	10	IS 3025 (Part 39), RA 2014: 1991 .
7	Sulphate, SO4	mg/L	75	1000	IS 3025 (Part 24), RA 2014: 1986
8	Chloride	mg/L	437	600	iS 3025 (Part 32), RA 2014: 1988
9	Ammonical Nitrogen	mg/L	0.88	50	IS 3025 (Part 34), RA 2014; 1988
10	Percent Sodium	%	0.031	60	IS 3025 (Part 45), RA 2014: 1993
11	Phenolic compounds	mg/L	<0.1	5.0	IS 3025 (Part 43), RA 2014: 1992
12	Phosphate (total)	mg/L	1.9	5	IS 3025 (Part 31), RA 2014: 1988
13	Sulphide	mg/L	<0.1	2	iS 3025 (Part 29), RA 2014: 1986
14	Metal-Chromium	mg/L	<0.05	0.10	IS 3025 (Part 52), RA 2014: 2003
15	Bioassay Test	%	93	90% survivat of fish after 96 hours in 100% effluent	APHA 23rd Ed. 3112 B

[&]quot;: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing.

2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.

3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by Skylab Analytical Laboratory.



- ENVIRONMENTAL TESTING
- FOOD & MICROBIOLOGICAL TESTING
- TEXTILE TESTING
- * METALS, CHEMICAL TESTING
- TURNKEY, ENVIRONMENT CONSULTANCY
- SHE AUDIT & TRAINING

ULR NO: TC051501800000760P

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Nouryon Chemicals India Pvt. Ltd.

Plot E- 18,19,20 & C-61(Part) Mahad, Dist.- Raigad, Maharashtra, INDIA

REPORT DATE

REPORT NO

: SAL/FM/61/NCIM/WW(20-21-0098) :04/07/2020

CUSTOMER REF : 4500968182 : 23/12/2019 **REF DATE**

SAMPLE TYPE:

: WW(20-21-0098) SAMPLE REGISTRATION NO.

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1:1987 RA 2019

:29/06/2020 SAMPLING DATE : 29/06/2020 SAMPLE RECEIPT DATE :30/06/2020 ANALYSIS START DATE

EFFLUENT WATER ANALYSIS

: ETP Outlet LOCATION SAMPLE SPECIFICATION: Waste Water

SAMPLE COLLECTED BY: SKYLAB SAMPLE QUANTITY

ir.	Test Parameter	Unit	Result	Limit#	Reference Method
io.	рН	 	7.65	6.5-8.5	IS 3025 (Part 11), RA Aug 2017: 1983
1	<u></u>	mg/L	62	100	IS 3025 (Part 17), RA Aug 2017: 1984
2	Total suspended solids	mg/L	1970	2100	IS 3025 (Part 16), RA Aug 2017: 1984
3	Total dissolved solids		101	250	IS 3025 (Part 58), RA Aug 2017: 2006
4	Chemical Oxygen Demand (COD)	mg/L		100	IS 3025 (Part 44), RA 2014: 1993
5	Biochemical Oxygen Demand (BOD)	mg/L	30		IS 3025 (Part 39), RA 2014: 1991
6	Oil & Grease	mg/l.	6	10	IS 3025 (Part 24), RA 2014: 1986
7	Sulphate, \$04	mg/i	127	1000	
8	Chloride	mg/L	483	600	IS 3025 (Part 32), RA 2014: 1988
9	Ammonical Nitrogen	mg/L	0.6	50	IS 3025 (Part 34), RA 2014: 1988
	Percent Sodium	%	0.13	60	IS 3025 (Part 45), RA 2014: 1993
10		mg/L	<0.1	5.0	IS 3025 (Part 43), RA 2014: 1992
11	Phenolic compounds	mg/L	4.3	5	IS 3025 (Part 31), RA 2014: 1988
12	Phosphate (total)	_!	<0.1	2	IS 3025 (Part 29), RA 2014: 1986
13	Sulphide	mg/L	<0.05	0.10	IS 3025 (Part 52), RA 2014, 2003
14	Metal-Chromium	mg/L		90% survival	APHA 23rd Ed. 3112 B
15	Bioassay Test	%	92	of fish after	, , , , , , , , , , , , , , , , , , , ,
				96 hours in	
1		l	1	100% effluent	\

[&]quot;; 45 per MPCB Consont

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing.

2. This report is confidential & cannot be re-produced in part or full without permission of SKYŁAB Analytical Laboratory. 3. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by Skylab Analytical Laboratory.





- . ENVIRONMENTAL TESTING
- * FOOD & MICROBIOLOGICAL TESTING
- **TEXTILE TESTING**
- METALS, CHEMICAL TESTING
- **TURNKEY, ENVIRONMENT CONSULTANCY**
- SHE AUDIT & TRAINING

ULR NO: TC051501800001086P

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Nouryon Chemicals India Pvt. Ltd.

Plot E- 18,19,20 & C-61(Part)

Mahad, Dist.- Raigad,

Maharashtra, INDIA

ILSI KLI OKI

REPORT NO : SAL/FM/61/NCIM/WW(20-21-0194)

REPORT DATE : 05/08/2020

CUSTOMER REF : 4500968182

REF DATE : 23/12/2019

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : WW(20-21-0194)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1:1987 RA 2019

 SAMPLING DATE
 : 29/07/2020

 SAMPLE RECEIPT DATE
 : 29/07/2020

ANALYSIS START DATE :30/07/2020
ANALYSIS COMPLETE DATE :05/08/2020

EFFLUENT WATER ANALYSIS

LOCATION : ETP Outlet

SAMPLE SPECIFICATION: Waste Water

SAMPLE COLLECTED BY: SKYLAB
SAMPLE QUANTITY :2 Ltrs

Sr. No.	Test Parameter	Unit	Result	Limit*	Reference Method
1	На		7.43	6.5-8.5	IS 3025 (Part 11), RA Aug 2017: 1983
2	Total suspended solids	mg/L	54	100	IS 3025 (Part 17), RA Aug 2017: 1984
3	Total dissolved solids	mg/L	2006	2100	IS 3025 (Part 16), RA Aug 2017, 1984
4	Chemical Oxygen Demand (COD)	mg/L	148	250	IS 3025 (Part 58), RA Aug 2017: 2006
5	Biochemical Oxygen Demand (BOD)	mg/L	44	100	IS 3025 (Part 44), RA 2014: 1993
6	Oil & Grease	mg/t	<5	10	IS 3025 (Part 39), RA 2014: 1991
7	Sulphate, SQ4	mg/L	38	1000	IS 3025 (Part 24), RA 2014: 1986
8	Chloride	mg/L	439	600	IS 3025 (Part 32), RA 2014: 1988
9	Ammonical Nitrogen	mg/L	<0.5	50	IS 3025 (Part 34), RA 2014: 1988
10	Percent Sodium	%	0.082	60	IS 3025 (Part 45), RA 2014: 1993
11	Phenotic compounds	mg/l,	<0.1	5.0	IS 3025 (Part 43), RA 2014: 1992
12	Phosphate (total)	mg/L	<0.1	5	IS 3025 (Part 31), RA 2014: 1988
13	Sulphide	mg/L	<0.1	2	IS 3025 (Part 29), RA 2014: 1986
14	Metal-Chromium	mg/L	<0.05	0.10	IS 3025 (Part 52), RA 2014: 2003
15	Bioassay Test	%	93	90% survival of fish after 96 hours in 100% effluent	APHA 23rd Ed. 3112 B

[:] As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

^{1.} This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing.

^{2.} This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical taboratory

^{3.} Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by Skylab Analytical Laboratory.



- *** ENVIRONMENTAL TESTING**
- * FOOD & MICROBIOLOGICAL TESTING
- TEXTILE TESTING
- . METALS, CHEMICAL TESTING
- * TURNKEY, ENVIRONMENT CONSULTANCY
- SHE AUDIT & TRAINING

ULR NO.TC051501800002522P

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Nouryon Chemicals India Pvt. Ltd.

Plot E- 18,19,20 & C-61(Part)

Mahad, Dist.- Raigad, Maharashtra, iNDIA REPORT NO

: SAL/FM/61/NCIM/WW(20-21-0263)

REPORT DATE : 02/09/2020 CUSTOMER REF : 4500968182

REF DATE

: 23/12/2019

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : WW(20-21-0263)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1:1987 RA 2019

SAMPLING DATE : 27/08/2020

SAMPLE RECEIPT DATE : 28/08/2020
ANALYSIS START DATE : 28/08/2020
ANALYSIS COMPLETE DATE : 02/09/2020

EFFLUENT WATER ANALYSIS

LOCATION : ETP Outlet

SAMPLE SPECIFICATION: Waste Water

SAMPLE COLLECTED BY: SKYLA8
SAMPLE QUANTITY :2 Ltrs

Sr. No.	Test Parameter	Unit	Result	Limit"	Reference Method
1	рН	-	7.46	6.5-8.5	IS 3025 (Part 11), RA Aug 2017: 1983
2	Total suspended solids	mg/L	15	100	IS 3025 (Part 17), RA Aug 2017: 1984
3	Total dissolved solids	mg/L	1836	2100	IS 3025 (Part 16), RA Aug 2017: 1984
4	Chemical Oxygen Demand (COD)	mg/L	208	250	IS 3025 (Part 58), RA Aug 2017: 2006
5	Biochemical Oxygen Demand (BOD)	mg/L	62	100	IS 3025 (Part 44), RA 2014: 1993
6	Oil & Grease	rng/L	7	10	IS 3025 (Part 39), RA 2014: 1991
7	Sulphate, SO4	rng/L	101	1000	IS 3025 (Part 24), RA 2014: 1986
8	Chloride	mg/L	532	600	IS 3025 (Part 32), RA 2014: 1988
9	Ammonical Nitrogen	mg/t.	1.2	50	IS 3025 (Part 34), RA 2014: 1988
10	Percent Sodium	%	0.03	60	IS 3025 (Part 45), RA 2014: 1993
11	Phenolic compounds	mg/L	<0.1	5.0	IS 3025 (Part 43), RA 2014: 1992
12	Phosphate (total)	mg/L	0.3	5	IS 3025 (Part 31), RA 2014: 1988
13	Sulphide	mg/L	<0.1	2	IS 3025 (Part 29), RA 2014: 1986
14	Metal-Chromium	mg/L	3.10	0.10	IS 3025 (Part 52), RA 2014: 2003
15	Błoassay Test	%	93	90% survival of fish after 96 hours in 100% effluent	APHA 23rd Ed. 3112 B

[&]quot;: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

For SKYLAB ANALYTICAL LABORATORY

Authorized Signatory

END OF REPORT

- 1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing.
- 2. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- 3. Any attempt of forgery or misleading use of this report by any person/organization etc. will attract suitable legal action against them by Skylab Analytical Labo atory.





- ENVIRONMENTAL MONITORING
- **FOOD & MICROBIOLOGICAL TESTING**
- **TEXTILE TESTING**
- **# ELEMENTAL ANALYSIS**
- TURNKEY, ENVIRONMENT CONSULTANCY

ULR NO: TC051501800003045P

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Nouryon Chemicals India Pvt. Ltd.

Plot E- 18,19,20 & C-61(Part)

Mahad, Dist. Raigad,

Maharashtra, INDIA

REPORT NO

: SAL/FM/61/NCIM/WW(20-21-0367)

REPORT DATE

:05/10/2020 CUSTOMER REF: 4500968182

REF DATE

: 23/12/2019

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : WW(20-21-0367)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1:1987 RA 2019

SAMPLING DATE

:26/09/2020 :26/09/2020

SAMPLE RECEIPT DATE **ANALYSIS START DATE** ANALYSIS COMPLETE DATE

: 28/09/2020 + 05/10/2020

EFFLUENT WATER ANALYSIS

LOCATION : ETP Outlet SAMPLE SPECIFICATION: Waste Water

SAMPLE COLLECTED BY: SKYLAB

SAMPLE QUANTITY :2 Ltrs

Sr. No.	Test Parameter	Unit	Result	Limit"	Reference Method
1	Hq	· · · · · · · · · · · · · · · · · · ·	7.17	6.5-8.5	IS 3025 (Part 11), RA Aug 2017: 1983
2	Total suspended solids	mg/L	45	100	IS 3025 (Part 17), RA Aug 2017: 1984
3	Total dissolved solids	mg/L	1987	2100	IS 3025 (Part 15), RA Aug 2017: 1984
4	Chemical Oxygen Demand (COD)	mg/t	237	250	IS 3025 (Part 58), RA Aug 2017: 2006
5	Biochemical Oxygen Demand (BOD)	mg/L	93	100	IS 3025 (Part 44), RA 2014: 1993
6	Oil & Grease	mg/L	8	10	IS 3025 (Part 39), RA 2014: 1991
7	Sulphate, SO4	mg/L	131	1000	IS 3025 (Part 24), RA 2014: 1986
8	Chloride	mg/l	531	600	IS 3025 (Part 32), RA 2014: 1988
9	Ammonical Nitrogen	mg/L	<0.5	50	IS 3025 (Part 34), RA 2014: 1988
10	Percent Sodium	%	0.025	60	IS 3025 (Part 45), RA 2014: 1993
11	Phenolic compounds	mg/L	0.5	5.0	IS 3025 (Part 43), RA 2014: 1992
12	Phosphate (total)	mg/i	1.2	5	IS 3025 (Part 31), RA 2014: 1988
13	Sulphide	mg/L	<0.1	2	IS 3025 (Part 29), RA 2014: 1986
14	Metal-Chromium	me/I	c0.05	0.10	IS 3025 (Part 52), 8A, 2014: 2003

[&]quot;: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Verified by

Mr. Atul Shahane Chemist



For SKYLAB ANALYTICAL LABORATORY

Mr. S. B. Pansare **Authorized Signatory**

END OF REPORT



Page 1 of 2

Accredited by NABL as per ISO 17025:2017, Certified by ISO 9001:2015 & ISO 45001:2018 Recognized by MoEFCC, Govt. of India, valid from 09.06,2020

Add.: 202, CFC - 3, Asmeeta Texpa, Addl. Kalyan - Bhiwandi Industrial Area, MIDC, Village Kon, Tal. Bhiwandi, Dist. Thane, Maharashtra, INDIA, Pincode - 421311

Mob. No. - 9820386785 / 9867577309 - 312 / 8422929165. Ph. No. - 02522297784 / 85

Email - mails@skylabenviro.com Website - www.skylabenviro.com

^{1.} This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing.

^{2.} This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.

^{3.} Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by Skylab Analytical Laboratory.





- ENVIRONMENTAL MONITORING
- FOOD & MICROBIOLOGICAL TESTING
- TEXTILE TESTING
- **ELEMENTAL ANALYSIS**
- TURNKEY, ENVIRONMENT CONSULTANCY

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Nouryon Chemicals India Pvt. Ltd.

Plot E- 18,19,20 & C-61(Part)

Mahad, Dist.-Raigad,

Maharashtra, INDIA

REPORT NO

: SAL/FM/61/NCIM/WW(20-21-0367)

REPORT DATE

:05/10/2020 CUSTOMER REF : 4500968182

REF DATE

:23/12/2019

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : WW(20-21-0367)

SAMPLING PLAN& METHOD NO.: IS 3025 Part 1:1987 RA 2019

SAMPLING DATE SAMPLE RECEIPT DATE ANALYSIS START DATE :26/09/2020 :26/09/2020 : 28/09/2020

ANALYSIS COMPLETE DATE

:05/10/2020

EFFLUENT WATER ANALYSIS

LOCATION

: ETP Outlet

SAMPLE SPECIFICATION: Waste Water

SAMPLE COLLECTED BY: SKYLAB SAMPLE QUANTITY

	0.0 001111 2212 37112 103/ 20/ 2020				
Sr. No.	Test Parameter	Unit	Result	Limit#	Reference Method
1	8loassay Test	%	94	90% survival of fish after 96 hours in	APHA 23rd Ed. 3112 B

[&]quot;: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Mr. Atul Shahane

Chemist

For SKYLAB ANALYTICAL LABORATORY

Mr. S. B. Pansare **Authorized Signatory**

END OF REPORT

- 1. This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing.
- 7. This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory
- 1. Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by Skylab Analytical Laboratory.



Maharashtra Pollution Control Board

महाराष्ट्र प्रदूषण नियंत्रण मंडळ

FORM V

Environmental Audit Report for the financial Year ending the 31st March 2020

Unique Application Number

MPCB-ENVIRONMENT STATEMENT-0000025822

Company Information

Company Name

Nouryon Chemicals India Private Limited

Address

Plot no

Nouryon Chemicals India Private Limited Plot E-18,19,20 & C-61(Part/Part) Mahad, Dist.- Raigad,

Maharashtra, INDIA

E- 18,19,20 & C-61(Part/Part)

Capital Investment (In lakhs)

6948

Pincode 402302

Telephone Number

9049173399

Region

SRO-Mahad

Last Environmental statement submitted

online

yes

Consent Valid Upto

28.02.2021

Application UAN number

NA

Taluka

Mahad

Scale

Large

Person Name

Sanjay G. Salunke

Fax Number 02145 232148

22143 232140

Red

Consent Number

Industry Category

Format 1.0/CC/UAN No. 0000003495/2003000030

Submitted Date

10-09-2020

Village

Khaire

City

Mahad

Designation

Manager HSE&S

Email

sanjay.salunke@nouryon.com

Industry Type

R22 Organic Chemicals manufacturing

Consent Issue Date

12.03.2020

Product	Information

ou u c · · · · · · · · · · · · · · · · ·			
Product Name	Consent Quantity	Actual Quantity	UOM
Organic Peroxide(Pure)	3419.52	754	MT/A
Refilling/Blending of Metal Alkyls(Pure)	1701.96	315	MT/A
Sodium Chloride Salt	1296	19	MT/A

By-prod	luct I	Inform	ation
---------	--------	--------	-------

By Product Name	Consent Quantity	Actual Quantity	UOM
NA	NA	NA	CMD

1) Water Consumption in m3/day

Water Consumption for Consent Quantity in m3/day Actual Quantity in m3/day Process 470 200

Cooling 60 26

1) Effluent Generation in CMD / MLD				
Total	640	275		
All others	100	38		

2) Product Wise Process Water Consumption (cubic meter of
process water per unit of product)

Name of Products (Production)	During the Previous financial Year	During the current Financial year	иом
Organic Peroxide	78	59.55	CMD

504

Consent Quantity

Actual Quantity

219

UOM

CMD

3) Raw Material Consumption (Consumption of raw material per unit of product)

Particulars

Effluent discharged

Name of Raw Materials	During the Previous financial Year	During the current Financial year	ИОМ
Acid chloride	0.35 to 0.87	0.31 to 0.70	
ТВНР	0.52 to 0.93	0.37 to 0.64	
Chloroformates	0.36 to 0.68	0.48 to 0.70	
Hydrogen peroxide	0.11to 0.15	0.09 to 0.11	
ТМВН	0.31	0.31	
NaOH	0.31 TO 0.94	0.17 to 0.46	
кон	0.09	0.04 to 0.10	

4) Fuel Consumption Fuel Name Consent quantity Actual Quantity UOM HSD 100 72

Pollution discharged to environment/unit of output (Parameter as specified in the consent issued) [A] Water

Pollutants Detail	Quantity of Pollutants discharged (kL/day)	Concentration of Pollutants discharged(Mg/Lit) Except PH,Temp,Colour	Percentage of variation from prescribed standards with reasons		
	Quantity	Concentration	%variation	Standard	Reason
рН	NA	8.14	NA	5.5 to 9	NA
Total Suspended solids	NA	43	NA	100	NA
BOD 3 days 27 Deg C	NA	74	NA	100	NA
COD	NA	234	NA	250	NA
Oil & grease	NA	5	NA	10	NA
Total ammocial nitrogen	NA	0.5	NA	50	NA
Total dissolved solids	NA	1842	NA	2100	NA
Sulphates	NA	179	NA	1000	NA
Sodium	NA	0.1	NA	60	NA
Phenolic compound	NA	0.001	NA	5	NA
Chromium (Hexavalent)	NA	0.05	NA	0.1	NA

Phosphate (as P)	NA	0.1	NA	5	NA
Bio assy test	NA	92 % Survival of fish after 96 h in 100% of effluent	rs NA	90 % Survival of fish after 96 hrs in 100% of effluent	NA
Chlorides	NA	576	NA	600	NA
[B] Air (Stack) Pollutants Detail	Quantity of Pollutants discharged (kL/day) Quantity	Concentration of Pollutants discharged(Mg/NM3) Concentration	Percentage o from prescrib standards wit %variation	ed	Reason
PM	NA	41	NA	150	NA
SO2	NA	0.7	NA	NA	NA
NOX	NA	48	NA	NA	NA
HAZARDOUS WAS 1) From Process Hazardous Waste	STES e Type Total During Pr	evious Financial vear	Total During Curre	nt Financial year	иом
0	0	evious i muneiur yeur	0	ne i maneiai yeai	0017
2) From Pollution Hazardous Waste 5.1 Used or spent of			Total During Previous Financia year 334	Total During al Current Financial year 0	иом
·		m decenteraination	700	0	
	caining residue arising froi	ii decontamination.			
20.2 Spent solvents			1200	1310	
	ge from waste water trea	lment	1515	2617	
31.1 Process residu			475	0	
12.2 Spent acid and			0	2085	
33.1 Empty barrels, /wastes	/containers/liners contam	inated with hazardous chemicals	0	221	Nos./Y
SOLID WASTES 1) From Process					
1) From Process	Vaste Type Total Durin 120	ng Previous Financial year	Total During Cu 96	rrent Financial year	UOM MT/A
1) From Process Non Hazardous W Solid waste	120 Control Facilities	ng Previous Financial year al During Previous Financial ye	96	rrent Financial year Current Financial year	
1) From Process Non Hazardous W Solid waste 2) From Pollution Non Hazardous W NA	120 Control Facilities Vaste Type Tot	al During Previous Financial ye	96 ear Total During	•	MT/A
1) From Process Non Hazardous W Solid waste 2) From Pollution Non Hazardous W NA 3) Quantity Recycles	120 Control Facilities Vaste Type Tot	al During Previous Financial ye	96 Par Total During 0	•	MT/A UOM MT/A

Type of Hazardous Waste Generated	Qty of Hazardous Waste	иом	Concentration of Hazardous Waste
12.2 Spent acid and alkali	2080		NA
20.2 Spent solvents	1310		NA
20.2 Spent solvents	1200		NA
35.3 Chemical sludge from waste water treatment	2617		NA
33.1 Empty barrels/containers/liners contaminated with hazardous chemicals /wastes	221	Nos./Y	NA

2) Solid Waste

Type of Solid Waste Generated **Qty of Solid Waste UOM** Concentration of Solid Waste

Decontaminated metal drums, Plastic wrappers, scrap 96 MT/A NA

Impact of the pollution Control measures taken on conservation of natural resources and consequently on the cost of production.

Description	Reduction in Water Consumption (M3/day)	Reduction in Fuel & Solvent Consumption (KL/day)	Reduction in Raw Material (Kg)		Capital Investment(in Lacs)	Reduction in Maintenance(in Lacs)
NA	0	0	0	13459	0	0

Additional measures/investment proposal for environmental protection abatement of pollution, prevention of pollution. [A] Investment made during the period of Environmental

Statement

Detail of measures for Environmental Protection	Environmental Protection Measures	Capital Investment (Lacks)
NA	NA	NA

[B] Investment Proposed for next Year

Detail of measures for Environmental Protection Environmental Protection Measures Capital Investment (Lacks)

Installation of Solar Power panels at Site Installation of Solar Power panels at Site for solar Zero investment project power generation

Any other particulars in respect of environmental protection and abatement of pollution.

Particulars

NA

Name & Designation

Sanjay G.Salunke, Manager HSE&S



Towards sustainable growth

Mumbai Waste Management Limited

Certificate

MIS. Nouryon Chemicals India Pvt. Ltd.

is a registered member of

CHW-TSDF at MIDC, Taloja

for safe & secure disposal of

Hazardous Waste.

Membership no.: MWML - HzW T.MHD. 44.91

This Certificate is valid up to

3151 MAR 2021

Hallow

Onkar A. Kulkarni Manager - MBD Somnath Malgar Director

An ISO 9001:2015, ISO 14001 : 2015 & ISO 45001 : 2018 Certified Company

MWML Laboratory is accredited by NABL and Approved by MoEF

વર્ષ્ક જ જ જે કે જે જે જે જ જોવા મે જિ. જે જો જોઈ. જ જે. જૂ દ્રાંત ક ક્ષ્મ ક જેવા માર્જ તો તકારા છે. જો તો તો ત